Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



ARISTOCRATS

for the

GARDEN

1935


T. S. Department of any

EVERGREENS
RHODODENDRONS
MOUNTAINLAUREL
AZALEAS
FLOWERING CRABS
SHADE TREES
FLOWERING SHRUBS
GROUND COVERS
VINES and
HERBACEOUS PERENNIALS

HARLAN P. KELSEY, INC.
EAST BOXFORD MASSACHUSETTS



How to Reach Kelsey-Highlands Nursery



VISITORS WELCOME!

Kelsey-Highlands Nursery is located at East Boxford, Massachusetts, 28 miles north of Boston, at East Boxford Station, B. & M. R. R. It is readily reached by good automobile roads from any part of New England. From Boston, take either Newburyport Turnpike, turning West at Topsfield on Massachusetts Route 97, or Reading Turnpike turning East at North Andover. Other distances are: Salem, 13 miles; Lawrence, 11 miles; Haverhill, 9 miles; Newburyport, 12 miles; Lowell 20 miles; Ipswich 9 miles.

BEFORE ORDERING

Please read carefully the Instructions for Placing Orders on Pages 2 and 3, and remember that WHEN CASH ACCOMPANIES ORDER a discount of 10 per cent may be taken.

One to four plants of same variety and size at the each rate, five to twenty-four at the 10 rate, twenty-five or more at the 100 rate, when hundred rate is given.

No variation of this schedule will be allowed, due to the time required to assemble an order of small lots.

1885-1935



HARLAN P. KELSEY, INC.

KELSEY-HIGHLANDS NURSERY, EAST BOXFORD, MASS.

Address Telegrams: Harlan P. Kelsey, Inc., East Boxford, Mass. Telefones: Topsfield 71 and 72.

Harlan P. Kelsey, Inc., with its three hundred acres of the finest nursery stock, its modern buildings and equipment and its Landscape Department, is an institution that supplies the finest of ornamental nursery stock and is equipped to give the best in service.

The aim of Harlan P Kelsey, Inc., is to supply only the best and at a cost that is commensurate with value. This is made possible through nearly half a century of horticultural and business experience, and through having a competent personnel and adequate equipment.

Many of America's choicest ornamentals have been introduced to cultivation by Harlan P. Kelsey, including Carolina Hemlock, Pinkshell Azalea, Korean Chrysanthemum, Galax, Grays Lily, Carolina Rhododendron, White Carolina Rhododendron, Kelsey Catawba Rhododendrons, Kelsey Locust, Oconee-bells and Featherfleece.

Kelsey-Highlands Nursery specializes in Hardy Native American Plants and Specimen Evergreens and in the newer and rarer plants. All stock is individually grown, with plenty of light, air and nourishment, producing sturdy specimens having excellent root systems. Our ornamental material includes the best Evergreens, Broadleaf Evergreens, Deciduous Trees, Shrubs and Flowering Plants for the gardens of today.

HARLAN P. KELSEY, INC. LANDSCAPE ARCHITECTS

The growing of finer plants is a business demanding a specialized knowledge. The proper planning and designing of home sites is an entirely distinct field and requires a different type of training and point of view.

HARLAN P. KELSEY, Inc., has a staff of men trained and experienced in Landscape Architecture in order to insure a successful home grounds development which will combine beauty and convenience with economy of construction and maintenance.

They are competent to solve each individual problem—be it the planting of a corner of a small home or the designing of a great park, estate or other large scale project. You will find these men glad to help you.

IMPORTANT PLEASE READ CAREFULLY

INSTRUCTIONS FOR PLACING ORDERS

SHIPPING SEASON begins in Spring, when frost leaves the ground, usually March 15 to June 1. August planting of Specimen Evergreens—Rhododendrons, Kalmias, Leucothoes, Conifers and many Bulbs and Herbaceous Plants—has proved most successful, general stock going out again from September to December.

Shipping Instructions should be given, otherwise we use our best judgment but assume no risk. All shipments travel at purchaser's risk, and carriers must be held liable for any damage in transit. All stock becomes the property of the purchaser on delivery to transportation company or carrier.

PRICES are made to fit the quality of the stock shipped. Discriminating buyers now realize that the greatest value of nursery stock is underground. Frequent transplanting and handling specimens with adequate burlapped balls, means success and quick results. It costs more, but it is the fixed policy of Harlan P. Kelsey, Inc., and "cheap" stock will not be handled or sent out. The best is always the cheapest.

SPECIAL SELECTION. Stock specially selected at Nursery or ordered by mail will be charged at advance prices to fit the value of the stock selected. The prices in this catalog cover the average good grades as they run in the nursery row.

TRUCK DELIVERY. Where the size of order warrants, there are distinct advantages in auto-truck delivery for distances up to 50 miles, and we make large deliveries up to 250 miles. Stock arrives quickly and just when wanted, and is delivered fresh on the grounds, saving local trucking and unpacking. Charges are made according to size of truck and distance traveled.

PACKING CHARGES. At prices printed in this catalog, boxing, balling and burlapping is free, except where small sizes of deciduous stock is balled and burlapped by special request. In such cases a charge to cover cost is made as follows

BURLAPPING CHARGES—	Each
Small sizes	\$0.15
2 to 3 ft. clumps and trees	20
3 to 4 ft. clumps and trees	25
4 to 6 ft. clumps and trees	35
6 to 8 ft. clumps and trees	50
Larger sizes at corresponding rates.	

On orders to the Trade, packing cost and B. & B. is always charged.

Larger sizes are billed in proportion. Where large evergreens are shipped on "platforms," a suitable charge will be made to cover cost.

QUARANTINE. The Federal Horticultural Board has proclaimed a practically complete embargo on all Foreign Trees and Shrubs and most Herbaceous Plants. Our Native Trees and Plants are hardier, freer from diseases, and more "fitting" in our landscapes. Still the best exotics can and now will be grown in America for Americans.

All stock leaving the Nursery bears certificate of inspection, showing it to be absolutely free from injurious pests or disease.

PLANT INSURANCE. No guarantee—expressed or implied—is made that stock will grow, whether planted by us or not. As we have no control over after-treatment or weather conditions, the purchaser must assume all risks after stock leaves our Nursery in good condition. On request, we insure stock for a specified period at a rate covering estimated hazard.

TERMS. Cash or satisfactory reference from unknown customers. All accounts are due the first of each month, unless by special arrangement. Five at 10 rate, 25 at 100 rate, 250 at 1,000 rate. 5 to per cent discount may be taken only WHEN CASH ACCOMPANIES THE ORDER. When not taken, extra plants will be sent to cover such discount.

Claims for errors must be made on receipt of goods. If there is any mistake or fault on our part it will be gladly rectified.

HARLAN P. KELSEY, INC. KELSEY-HIGHLANDS NURSERY

Post Office, Freight and Telegraf, East Boxford, Mass.

Express, Georgetown, Mass.

Telefone, Topsfield, Mass., 71

... Contents ...

					$\mathbf{P}\mathbf{A}$	GE
Instructions for Placing Order	rs	•	•		•	2
Evergreens	•	•	. `	•	•	4
Broadleaf Evergreens .	•	•	•	•		12
Rhododendrons	•	•	•	•		1 5
Deciduous Trees and Shrubs	•	•			•	17
Azaleas	•	•	•	•	•	19
Vines, Creepers and Climbers	•	•	•	•		46
Hardy Herbaceous Perennials	•	•	•	•		48
Index			•	•	•	56

[&]quot;Standardized Plant Names" is authority for all names used in this catalog

EVERGREENS

The charm of evergreens is in their variety of forms and their dependability in giving beauty of color all year round.

Properly chosen for each particular location, evergreens have a place of importance in every planting. Their judicious use, along with the broadleaf evergreens and deciduous, trees and shrubs, makes for attractiveness at all times. In Winter the otherwise harsh and bleak landscape is enlivened and given a feeling of warmth by the soft beauty and gentle lines of evergreens properly placed.

Care must be used in the choice, location and spacing of evergreens, for many, like the Hemlocks and the Firs will reach an eventual hight of thirty to one hundred feet, while the Yews, some of the Arborvitaes and many of the Junipers are dwarf or spreading in habit.

More plantings are spoiled through crowding than through planting too sparsely—remember this, and allow plenty of room for future growth.

We are glad to assist you in your selection of evergreens—if the descriptions, which are necessarily quite abbreviated, do not give you clear enough pictures of the plants, write to us and we will gladly tell you more about them.

Note.—The hights given immediately after the names are approximate hights reached by the trees and shrubs under most favorable conditions, first under cultivation, and then as observed in their native habitat, particularly the larger varieties.

ABIES, Fir	Each	10	100
arizonica, CORK FIR			
6-9 in.	.75	6.75	
	00 400	· ·	
concolor, WHITE FIR			
Blue or green leaves			
18-24 in.	2.00	18.00	162.00
2-3 ft.	3.00	27.00	240.00
3-4 ft.	5.00	45.00	405.00
4-5 ft.	7.00	63.00	
5-6 ft.		81.00	
6-8 ft.	12.00	108.00	
8-10 ft.			
fraseri, FRASER FIR	. 35-60 ft		
Superior to Northern	n Balsam I	Fir.	
12-18 in.		6.75	60.00
18-24 in.	1.50	13.50	120.00
2-2½ ft.			162.00
2½-3 ft.			240.00
3-4 ft.			324.00
4-5 ft.	6.00		(, 21. 00
5-6 ft.			
homolepis, NIKKO FI			
9-12 in.		4.50	39.00
12-18 in.	.75	6.75	60.00
12 10 111.	• • •	V.10	00.00

ABIES, Continued	Each	10	100
veitchi, VEITCH FI		3 . 0	200
One of best Firs—		idal habit.	Very hardy.
18-24 in.	1.50	13.50	
2-2½ ft.	2.00	18.00	
2½-3 ft.	3.00	27.00	
3-4 ft.	4.00	36.00	
4-5 ft.	6.00	54.00	
5-6 ft.	8.00	72.00	
6-8 ft.	10.00	90.00	
CHAMAECYPARIS, C	ypress and R	etinospora.	
obtusa, HINOKI CY	PRESS. 30-	120 ft.	
Dark green lustro			
12-18 in.	.50	4.50	39.00
18-24 in.	1.00	9.00	81.00
2-2½ ft. 2½-3 ft	1.50 2.00	$13.50 \\ 18.00$	$120.00 \\ 162.00$
3-4 ft.	3.00	27.00	240.00
4-5 ft.	5.00	45.00	405.00
5-6 ft.		72.00	100.00
pisifera, SAWARA) ft
One of the best a			
18-24 in.	.75	6.75	
2-2½ ft.	1.25	11.25	
2½-3 ft.	1.75	15.75	
3-4 ft.	2.50	22.50	
4-5 ft.	3.75	33.75	
5-6 ft.	5.25	47.25	
6-7 ft.	7.50	67.50	
pisifera aurea, GOL			OSPORA.
	1.50		
pisifera filifera, TH			
· -	4.00		
pisifera plumosa, P			
	1.00 1.50		81.00 120.00
$2\frac{1}{2}$ -3 ft.			162.00
• –	3.00		102.00
pisifera squarrosa,			15-30 ft.
Feathery branchle			
4-5 ft.	6.00	54.00	
5-6 ft.	8.00	72.00	
JUNIPERUS, Juniper	Pedcedan a	nd Savin	
chinensis pfitzeriana			2 E ft
Horizontally sprea	ading branch 1.25		
•	1.75		102.00 141.00
2-2½ ft	2.50		141.00
. –	3.25		
chinensis pyramidal			JUNIPER
2-3 ft.	2.00		
chinensis sargenti,	SARGENT J	UNIPER.	in, to 1 ft.
Dense mats of br			
9-12 in.	_		
	2.50		
18-24 in.	3.50	31.50	
chinensis viridis.			
18-24 in.	1.50	13.50	
columnaris.			
2-3' ft.	2.00	18.00	
communis cracovica			
	1 FA		

18-24 in.

1.50

JUNIPERUS, Continued	Each	10	100
communis depressa, Pr			
Very hardy and thriv			
12-18 in.	.75	6.75	60.00
18-24 in.	1.00	9.00	81.00
2-2½ ft.		13.50	120.00
$2\frac{1}{2}$ -3 ft.	2.00	18.00	162.00
3-4 ft.		27.00	240.00
4-5 ft.			
communis suecica, SW			
12-18 in.	.50	4.50	39.00
18-24 in.	.75	6.75	60.00
2-2½ ft.		9.00	
excelsa stricta, GREEI	K JUNIP	ER.	
12-15 in.	.75	6.75	
horizontal plumosa.			
Depressed shrub, hor	rizontally	spreading bra	nches.
9-12 in.	.75	6.75	
sabina, SAVIN.			
A green foliaged spi	reading t	ype.	
9-12 in.	.75	6.75	
sabina tamariscifolia,	TAMARI	X SAVIN.	
Low spreading, brigh			
9-12 in.	.75	6.75	60.00
12-18 in.	1.50	13.50	
squamata meyeri, MEY	YER JUN	IPER.	
9-12 in.		11.25	
virginiana, REDCEDA	R. 30-100	o ft.	
Hardy columnar New	v England	l type.	
2-3 ft.	• -	13.50	120,00
3-4 ft.	2.50	22.50	200.00
4-5 ft.	3.50	31.00	280.00
5-6 ft.	4.50	40.00	360.00
6-7 ft.	6.00	54.00	486.00
virginiana glauca, SIL	VER RE	DCEDAR. 20-	40 ft.
Steel-blue foliage.			
3-4 ft.	5.00	45.00	
4-5 ft.	7.00	63.00	
virginiana keteleeri.			
Intense green foliag	e—symme	etrical growth.	
2-3 ft.	3.00	27.00	
3-4 ft.	4.50	40.00	
PICEA, Spruce.			
asperata. 60-100 ft.			
Rare; most vigorous	Chinese	Spruce. Broad	lly pyramida
6-9 in.	1.00	9.00	
9-12 in.	1.50	13.50	
4-5 ft.	22.50		
5-6 ft.	35.00		
6-7 ft.	50.00		
7-8 ft.	75.00		
8-9 ft.	100.00		
canandensis (alba; gla	uca), Wh	HITE SPRUCE	. 60-120 ft.
Dense habit, suitab			
12-18 in.	.50	4.50	39.00
18-24 in.	.75	6.75	60.00
2-2½ ft.	1.00	9.00	81.00
2½-3 ft.	1.50	13.50	120.00
3-4 ft.	2.50	22.50	200.00
4-5 ft.	3.50	31.00	282.00
5-6 ft.	4.75	42.75	384.00
6-7 ft.	6.00	54.00	480.00
canadensis albertina, A			
50-160 ft. Pyra			
12-18 in.	.50	4.50	39.00
18-24 in.	1.00	9.00	81.00
10 21 111.	2.00	0.00	31.00

2-3 ft.

1.50

13.50

PICEA, Continued	Each	10	100
DWARF ALBERTA			
Very dwarf cone-		_	
6-9 in.	1.00	9,00	aciis.
9-12 in.	1.50	13.50	
12-15 in.	2.00	18.00	
15-18 in.	$\frac{2.50}{2.50}$	22.50	
			0 64
engelmanni, ENGE			U It.
Leaves bluish-gre			04.00
12-18 in.	1.00	9.00	81.00
18-24 in. 2-2½ ft.	1.50	13.50	120.00
$2\frac{1}{2}$ -3 ft.	2.00 2.50	$18.00 \\ 22.50$	162.00
$2\frac{1}{2}$ -3 1t. $3-4$ ft.	4.00	$\frac{22.50}{36.00}$	$202.00 \\ 324.00$
4-5 ft.	6.00	54.00	524.00
excelsa, NORWAY			
Spreading branch			
18-24 in.	.75	6.75	60.00
2-3 ft.	1.00	9.00	81.00
3-4 ft.	1.50	13.50	120.00
4-5 ft.	2.50	22.50	202.50
5-6 ft.	3.50	31.50	282.00
jezoensis, YEDDO	SPRUCE.		
9-12 in.	1.50	13.50	
jezoensis hondoensi	s, HONDO S	PRUCE.	
12-18 in.	3.00	27.00	
koyamai, KOYAMA	I SPRUCE.	40-60 ft.	•
Native of Korea			amidal growth.
12-18 in.	1.00	9.00	81.00
18-24 in.	1.50	13.50	120.00
2-3 ft.	2.25	20.25	182.00
3-4 ft.	3.75	33.00	
	6.00	54.00	
5-6 ft.	8.00		
omorika, SERBIAN	SPRUCE 5	0_60 ft	
The finest species			Varrow nyram-
idal head.	TOT HOTCHCIN	iacitaacs.	variow pyrami
9-12 in.	1.75	15.00	140.00
12-18 in.			110.00
pungens, GREEN (0-100 ft
One of the best of			0-100 16.
12-18 in.	.75	6.75	. 60.00
12-18 in. 18-24 in.	1.25	11.25	102.00
	1.75		141.00
$2\frac{1}{2}$ 1t. $2\frac{1}{2}$ 3 ft.		$\begin{array}{c} 13.73 \\ 22.50 \end{array}$	202.50
· ·	3.50		282.00
	5.00		202.00
5-6 ft.	7.00	63.00	
	10.00		
pungens glauca, BL			E 80_100 ft
Bluish-white folia		DO SERUC	30-100 It.
12-18 in.	1.75	15.00	140.00
18-24 in.	2.50	$\begin{array}{c} \textbf{15.00} \\ 22.50 \end{array}$	202.50
	3.50		282.00
$2\frac{1}{2}$ 1t. $2\frac{1}{2}$ 1t.		40.50	363.00
3-4 ft.	6.00	54.00	486.00
4-5 ft.			400.00
5-6 ft.		108.00	-
pungens kosteri, K			40-160 ft
	4.00	36.00	10 100 10.
	spec. 60.00	50.00	
	spec. 90.00		
	spec. 30.00 spec. 120.00		
	spec. 150.00		
	spec. 130.00 spec. 200.00		
20 22 TC.			

PINUS, Pine	Each	10	100
densiflora, JAPAN			
Handsome, orna			
2-3 ft.		11.25	100.00
3-4 ft.		15.00	140.00
4-5 ft.	2,25	20.25	182.00
5-6 ft.	4.00	36.00	
flexilis, LIMBER F			
Usually low, with		branches, da	rk green leav es
White Pine Grou	_		
2-3 ft.	1.50	13.50	
3'-4 ft.		20.25	
	3.75 5.25	33.00	
6-8 ft.		$\begin{array}{c} 47.00 \\ 67.00 \end{array}$	
8-10 ft.		90.00	
jeffreyi, JEFFREY		90.00	
	1.75	15.75	
	2.50		
4-5 ft.			
5-6 ft.		54.00	
koraiensis, KOREA			
Slow growth; on			gardens. White
Pine Group. 2½			36.00
montana mughus,			
For foundation			and borders of
shrubberies; thr	ives in alm	ost any soil	near the sea-
shore or inland,	and at high	elevations.	
	spread .50		39.00
	spread 1.00		81.00
	spread 1.25	11.25	102.00
	spread 2.00	18.00	
	spread 3.00		
	spread 4.00		324.00
	spread 5.00		
monticola, WESTE			
Slow growing in rower and dense		similar to v	nite Pine, nar
3-4 ft.		20.25	
4-5 ft.			
	5.25		
	6.75		
nigra, AUSTRIAN			
Vigorous, of reg			ling branches.
18-24 in.		11.25	100.00
2-3 ft.			140.00
3-4 ft.	3.00	27.00	240.00
4-5 ft.	5.00	45.00	405.00
5-6 ft.	7.00	63.00	567.0 0
6-7 ft.	9.00	81.00	
pungens, TABLE	MOUNTAIN	PINE. 30-8	50 ft.
Picturesque dar	k-foliaged s	pecies, usua	ally of irregula
growth. Large		s hang on i	ndefinitely.
4-5 ft.		45.00	
	7.50		
resinosa, RED PII			
Vigorous growth			_
2-3 ft.		11.25	102.00
3-4 ft.		18.00	162.00
	3.00		
	4.00		
strobus, WHITE I			
Of rapid growth, 2-3 ft.	, picturesque 1.50	e in old age. 13.50	120.0 0
3-4 ft.	$\frac{1.50}{2.00}$	18.00	162.00
4-5 ft.	3.00	$\frac{18.00}{27.00}$	102.00
1 0 It.	0.00	21.00	

5-6 ft.

6-8 ft.

5.00

8.00

45.00

TEESE! HIGHEAN	DS NUNSEN	. 1	9
DINUIS Continued	The ele	10	400
PINUS, Continued sylvestris, SCOTCH			100
Picturesque, spre			ight nod
2-3 ft.	1.00	9.00	81.00
3-4 ft.			162.00
4-5 ft.	3.00	27.00	240.00
5-6 ft.		36.00	324.00
6-8 ft.		54.00	0-1.00
tabulaeformis (fune			RELLA DINE
	5.00	TTEGE GIND!	
thunbergi, JAPANE		DINE 60 10	ωΩ ft
Winter buds, silv			
2-3 ft.	2.50	22.50	,
3'-4 ft.	3.75	33.75	
4-5 ft.	6.00	54.00	
5-6 ft.	9.00	81.00	
PSEUDOTSUGA.			
douglasi, DOUGLAS	S FIR. 50-2	00 ft.	
A pyramidal tre			habit. Very
hardy and one of	·		•
2-3 ft.	1.75	15.75	141.00
3-4 ft.	2.50	22.50	202.50
4-5 ft.	3.50	31.50	282.00
5-6 ft.	5.00	45.00	405.00
6-7 ft.	8.00	72.00	
7-8 ft.	11.00	99.00	
TAXUS, Yew.			
canadensis, CANAE	A YEW.		
6-9 in.	.50	4.50	39.00
9-12 in.	1.00	9.00	81.00
12-15 in.	1. 50		120.00
15-18 in.	2.00	18.00	162.00
18-24 in.	2.50	22.50	
cuspidata, JAPANE	ESE YEW.		
	1.00	9.00	81.00
12-15 in.	1.50	13.50	120.00
15-18 in.	2.00		162.00
	2.50		202.00
2-2½ ft.			324.00
. —	6.00		
3'-3½ ft.		90.00	
cuspidata (upright			400.00
	1.50		120.00
	2.00		162.00
18-24 in.	$\frac{2.50}{4.00}$		$202.00 \\ 324.00$
cuspidata nana, DV			
Shrubby form of			
	2.00		810W til.
15-18 in.			
media hicksi, HICK			
Distinct, narrow		m.	
6-9 in.	1.00	9.00	
9-12 in.	1.50	13.50	120.00
12-18 in.	2.25	20.25	
THUJA, Arborvitae.			
AMERICAN PYRA		BORVITAE	(occidentalis
pyramidalis).			
Narrow, pyramida	_		
18-24 in.		6.75	60.00
2-3 ft.	1.25	11.25	102.00
3-4 ft.	2.00	18.00	1 6 2.00
4-5 ft. 5-6 ft.	$\begin{array}{c} 3.00 \\ 4.00 \end{array}$	$\begin{array}{c} 27.00 \\ 36.00 \end{array}$	$240.00 \\ 324.00$
8-9 ft.	12.00	108.00	344.00
0-0 It.	12.00	100.00	

THUJA, Continued.	Each	10	100
DOUGLAS PYRAMID			200
18-24 in.	1.00		
2-3 ft.	2.00	18.00	
3-4 ft	3.00	27.00	
occidentalis, AMERIC	AN AR	BORVITAE.	60 ft.
For hedges and win	dbreaks		
2-3 ft.	1.00	9.00	81.00
3'-4 ft.	1.75	15.75	141.00
4-5 ft.	2.50	22.50	202.00
5-6 ft.	3.50		282.00
6-7 ft.	4.50		363.00
7-8 ft.	6.00	54.00	486.00
occidentalis boothi. 15-18 in.	1.50	13.50	
occidentalis eliwanger			ARBORVITAE.
Low broad pyramid 18-24 in.	1.00	9.00	
2-3 ft.	2.00		
occidentalis globosa,			
Dwarf globose form			
12-15 in. 15-18 in.	.75 1.00	6.75 9.00	60.00 81.00
18-24 in.	1.50		81.00
			_
occidentalis hoveyi, l			λE.
Dwarf dense ovate	_		910.00
12-15 in. 15-18 in.		4.50	39.00 60.00
occidentalis reidi, RE		6.75	60.00
·	2.00	18.00	
2-2½ ft.	2.50	22.50	
$2\frac{1}{2}$ 1t. $2\frac{1}{2}$ 1t.			
3-4 ft.			
occidentalis vervaene			RBORVITAE.
Bronze Winter effe	•		
3-4 ft.	2.50	22.50	
4-5 ft.	3.50	31.50	
5-6 ft.	5.00	45.00	
6-8 ft.	7.50	67.50	
occidentalis wareana,	WARE	(SIBERIAN)	ARBORVITAE
Broadly pyramidal,		•	
foliage.			
18-24 in.	1.00	9.00	
2-2½ ft.	1.50	13.50	
, -	2.00		
3-4 ft.			
plicata, GIANT ARB			
18-24 in.		9.00	
2-3 ft.			
ROSENTHAL ARBO			
Lustrous dark gree			
2-3 ft. 3-4 ft.			
4-5 ft.	5.00		
	4.00	05.00	
TSUGA, Hemlock. canadensis, CANADA	HEML	10 100	ft
Handsome for law:			
Stands severe clip		est planting;	s of for fleuges
18-24 in.		9.00	81.00
2-2½ ft.			120.00
2½-3 ft.	2.00	18.00	162.00
3'-4 ft.		27.00	240.00
4-5 ft.	4.00	36.00	324.00
5-6 ft.	6.00	54.00	486.00
6-7 ft	8.00	72.00	648 00

6-7 ft. 7-8 ft.

72.00

90.00

648.00

810.00

8.00

TSUGA, Continued

Each

10

100

caroliniana, CAROLINA HEMLOCK. 30-70 ft.

Introduced to cultivation by Harlan P. Kelsey. "The finest Hemlock of them all." Unique in habit, with dark, dense, tufted foliage on sweeping pendulous branches. It is hardier and more adapted to trying city atmospheres than the Canada Hemlock and seems to thrive in southern latitudes where the latter becomes thin, yellow and unsightly.

12-18	in.	1.25	11.25	102.00
18-24	in.	2.00	18.00	162.00
2-21/2	ft.	2.50	22.50	202.00
21/2-3	ft.	3.50	31.50	282.00
3-4	ft.	6.00	54.00	
5-6	ft.	15.00	135.00	
6-7	ft.	20.00	180.00	1,620.00
7-8	ft.	25.00	225.00	2,020.00
8-9	ft.	35.00	315.00	2,820.00
9-10	ft.	45.00	405.00	3,620.00
10-11	ft.	55.00	495.00	4,455.00
11-12	ft.	70.00	630.00	5,670.00
12-14	ft.	90.00	810.00	



CAROLINA HEMLOCK "The Finest Hemlock of them all"

BROADLEAF EVERGREENS

ANDROMEDAS, KALMIAS, LEUCOTHOE, RHODODENDRONS, ETC.

Probably no ornamentals have become more deservedly popular than the Broadleaf Evergreens. Their beauty of flower and foliage merits your consideration and promises added possibilities in the land-scaping of your grounds.

All of the species that we list—and most of them are natives of the United States—are perfectly hardy as far north as Quebec, if given proper soil conditions and exposure or location.

Mass plantings of Rhododendrons, Mountainlaurel and Andromedas, with "filler" or "edging" plants, such as Leucothoe, Heather, Rose Daphne and Sandmyrtle, are greatly desired and probably show these Broadleaf Evergreens at their best. Such ground covers as Bearberry, Canby Pachistima and Japanese Pachysandra carpet the shady spaces luxuriantly.

Our long experience in growing and planting Broadleaf Evergreens is at the service of customers at all times.

ARCTOSTAPHYLOS

Each

10

100

uvaursi, BEARBERRY. April-July.

Perhaps the finest ground cover, as it thrives equally well in sandy or loamy soils, forming a dense, low mat of dark green foliage. Pink bell-shaped flowers and scarlet berries.

Pot Grown Plants:

6-9	6-9 in.	.30	2.70	24.00
9-12	in.	.50	4.50	39.00

BERBERIS.

julianae, WINTERGREEN BARBERRY.

9-12 in. .50 4.50

BUXUS.

koreana, KOREAN BOX. 2 ft.

This dwarf variety has proved hardy in Northern Massachusetts, for low hedges and edging flower beds.

3-6 in.

.40

3.60

32.00

CALLUNA, Heather.

Entirely hardy in New England, blooming in July and August. There are no more charming ground covers. They thrive in peaty, sandy soil of acid reaction and do not object to an open sunny location. Fine for rockeries.

Pot Grown Plants:

4-6 in.	.30	.30 2.70	
6-9 in.	.40	3.60	32.00

vulgaris, HEATHER. 1-3 ft.

Flowers rosy-pink in dense racemes. 4-6 in., 6-9 in. vulgaris alba, WHITE HEATHER. 2 ft.

Variety with pure white flowers. Sizes 4-6 in., 6-9 in. vulgaris alba elata, TALL WHITE HEATHER. 2 ft. White flowers. Sizes, 4-6 in., 6-9 in.

100

CALLUNA, Continued.

vulgaris alba pilosa. 18 in.

White flowers. Hairy foliaged type. Sizes 4-6 in., 6-9 in.

vulgaris alporti, ALPORT HEATHER. 18 in.

Crimson flowers; greyish leaves. Sizes, 4-6 in., 6-9 in.,

vulgaris argentae, SILVER-TIPPED HEATHER. 18 in. Silver-tipped. Pink flowers. Sizes, 4-6 in.

vulgaris cuprea, BRONZE HEATHER. 8 in.

Pink flowers; gold and bronze foliage. Sizes, 4-6 in., 6-9 in.

vulgaris erecta. 2 ft.

White flowers. Sizes, 4-6 in., 6-9 in.

vulgaris hammondi, HAMMOND HEATHER. 18 in.

White flowers. Upright. Sizes, 4-6 in., 6-9 in.

vulgaris hirsuta, WOOLLY HEATHER.

Pink flowers, velvety greyish foliage. Sizes 4-6 in., 6-9 in.

vulgaris hypnoides. 1 ft.

Deep pink flowers. Size, 4-6 in.

vulgaris multiplex.

Pink flowers. Size, 4-6 in.

vulgaris nana, MOSS HEATHER. 6 in. Very compact.

Purple flowers. Size, 4-6 in.

vulgaris rigida, BRUSH HEATHER.

White flowers. Size, 4-6 in.

vulgaris rubra, RED HEATHER. 18 in.

Deep red flowers. Size, 4-6 in.

vulgaris searli, SEARLE HEATHER. 18 in.

White flowers. Tall, loose, feathery growth. Late flowering. Size, 4-6 in.

vulgaris spicata. 18 in.

Deep pink flowers. Sizes, 4-6 in., 6-9 in.

COTONEASTER Each 10
horizontalis, ROCK COTONEASTER. 2-3 ft.

Pink. June. Low spreading shrub, suitable for rockeries.

Pot Grown Plants:

3-6 in. .30 2.70 24.00 6-9 in. .50 4.50 39.00 9-12 in. .75 6.75

horizontalis perpusilla.

Pot Grown Plants:

3-6 in. .30 2.70

microphylla, ROCKSPRAY.

Pot Grown Plants:

3-6 in. .30 2.70 6-9 in. .50 4.50

DAPHNE, Daphne.

cneorum, ROSE DAPHNE. 1-3 ft. Spread. Pink, all summer. Beautiful low hardy shrub; fragrant pink blossoms nestling among the green leaves. Fine for rockeries.

9-12 in. .75 6.75 60.00 12-18 in. 1.25 11.25 100.00

EPIGAEA.

repens, TRAILING ARBUTUS (MAYFLOWER).

Thrives best in light humus soil in shady locations. White to rose-colored flowers in early Spring, exhaling a rich, spicy fragrance. Extremely difficult to transplant from the wild.

Pot Grown plants: .60 5.40

ERICA, Heath. 10 100 Each

Carnea, SPRING HEATH.

Low spreading, rosy-red flowers with dark red anthers. Pot Grown Plants:

3-6 in. .302.70 24.00 . 6-9 in. .50 4.50

GALAX, Galax.

aphylla. 8-12. in. White. May.

Beautiful heart-shaped leaves, turning brilliant scarlet when exposed to the sun. Splendid ground cover for Rhododendron bed, and wildwood planting.

Clumps

.50

1LEX, Holly.

glabra, iNKBERRY. 6-8 ft. Very hardy. Black fruit. .75 6.759-12 in. 60.0012-18 in. 1.25 11.25 100.00

KALMIA, Kalmia.

angustifolia, LAMBKILL. 2-4 ft.

Beautiful small crimson flowers in abundance. Prefers peaty soil.

9-12 in. clumps

.30

latifolia, MOUNTAINLAUREL.

In May and June its clustered masses of white or blush flowers represent a gorgeous spectacle. It prefers sandy, loamy soil.

9 -1 2 in.	.60	5.40	48.00
12-15 in.	1.00	9.00	81.00
15-18 in.	1.25	11.25	102.00
18-24 in.	1.75	15.00	140.00
2-3 ft.	2.50	22.50	

LEDUM, Labrador-Tea.

groenlandicum, TRUE LABRADOR-TEA.

6-9 in.

.30 2.7024.00

4.50

2.70

LEIOPHYLLUM, Sandmyrtle.

buxifolium prostratum, ALLEGHENY SANDMYRTLE.

April-June. Very compact and prostrate.

3-6 in. .50

LEUCOTHOE, Leucothoe.

catesbaei, DROOPING LEUCOTHOE. 3-8 ft. White. April, May.

Invaluable as border or undershrub in Rhododendron and Azalea plantings. Foliage turns rich bronze in Fall.

> 12-18 in. clumps 1.25 ' 11.15 100.00 15.00 18-24 in. clumps 1.75 140.00 2-3 ft. clumps 2.75 24.00221.00

MITCHELLA, Partridgeberry.

repens, PARTRIDGEBERRY.

Native trailing evergreen. Shiny leaves. Small white fragrant flowers in June and July. Scarlet berries remain through Winter.

Pot Grown Plants .30 2.7024.00

PACHISTIMA, Pachistima.

canbyi, CANBY PACHISTIMA. 6-10 in. Reddish. Dainty, low shrub, forming dense evergreen carpet.

.35 3.1528.00 .50 5-9 in. 4.5039.00

PACHYSANDRA, Pachysandra.

terminalis, JAPANESE PACHYSANDRA. 6-9 in. Whitish.

Hardy ground cover. Useful for bordering walks and drives under evergreen shrub planting.

Pot Grown Plants. .25 15.00 PIERIS, Andromeda. Each 10 100

floribunda, MOUNTAIN ANDROMEDA. 2-6 ft. White. April.

Dense, much-branched shrub with nodding flowers. Perfectly hardy.

9-12 in.	1.00	9.00	81.00
12-15 in.	1.25	11.25	102.00
15-18 in.	1.75	15.75	141.00
18-24 in.	3.00	27.00	240.00
2-2½ ft.	4.50	40.50	363.00
$2\frac{1}{2}$ -3 ft.	6.00	54.00	486.00

japonica, JAPANESE ANDROMEDA. 5-6 ft. White. May. Thick, shiny leaves, turning bronze in Winter.

9-12 in.	1.00	9.00	81.00
12-15 in.	1.25	1 1.25	102.00
15-18 in.	1.75	15.75	
18-24 in.	≫ 3.00	27.00	

POTENTILLA, Cinquefoil.

tridentata, WINELEAF CINQUEFOIL. Prostrate. White. June.

Evergreen creeper; glistening foliage taking on brilliant claret color in Autumn.

Pot Grown Plants .30 2.70 24.00

RHODODENDRON, Rhododendron.

carolinianum, CAROLINA RHODODENDRON. 4-8 ft. May. June.

A clear pink American species introduced by Harlan P. Kelsey many years ago. Entirely hardy and fine for massing on hillside and in rockeries.

12-18 in. clumps	1.50	13.50	120.00
18-24 in. clumps	2.25	20.25	182.00
2-3 ft. clumps	3.00	27.00	240.00

carolinianum album. 3-6 ft. May-June.

Pure white form. Introduced by Harlan P. Kelsey.

18-24 in.	2.25	20.25
2-3 ft. clumps	3.75	33.00
3-4 ft. clumps	7.50	67.00
4-5 ft. clumps	12.00	108.00

catawbiense, CATAWBA RHODODENDRON. 20 ft. May-June.

The hardiest Rhododendron and the one which supplied color and hardiness to the cultivated hybrids. Color, bright red-purple but with considerable variation.

9-12 in.	.75	6.75	60.00
12-18 in.	1.25	11.25	100.00
18-24 in. clumps	2,25	20.25	182.00
2-3 ft. clumps	3.75	33.00	295.00
3-4 ft. clumps	5.25	47.00	

catawbiense compacta, KELSEY CATAWBA RHODODEN-DRON. 4-12 ft.

A dense, distinct growing variety discovered and introduced by Harlan P. Kelsey.

9-12 in. 1.25 11.25 102.00 catawhiense SEEDLING HYBRIDS Unnamed. 6-20 ft

From seed gathered from the choicest named hybrids.

12-18 in. 2.00 18.00 162.00

18-24 in. 2.75 24.00 221.00 2-3 ft. 4.00 36.00

dahuricum, DAHURIAN RHODODENDRON. 6-10 ft.

Leaves deciduous or sometimes persistent. Rose-colored flowers one inch across in early April.

12-18 in. 2.00 18.00 18-24 in. 2.50 22.50

laetivirens, WILSON RHODODENDRON.

9-12 in. 2.00 18.00

Each

10

100

RHODODENDRON, Continued.

maximum, ROSEBAY RHODODENDRON. 10-40 ft.

June-July. The white or pink-tinged flowers and lateblooming habit make this species invaluable.

12-18 in. clumps	1.25	11.25	100.00
18-24 in. clumps	2.00	18.00	162.00
2-3 ft. clumps	2.75	24.00	221.00
3-4 ft. clumps	4.00	36.00	324.00
4-5 ft. clumps	6.00	54.00	

micranthum, MANCHURIAN RHODODENDRON. 6-7 ft. White. May.

A distinct open-growing species, resembling the Ledum or Labrador-tea.

9-12 in.	1.25	11.25
12-18 in.	2.00	18.00
18-24 in.	2.50	

minus, PIEDMONT RHODODRENDON.

2-3	ft.	2.50	22.50
3-4	ft.	4.00	36.00

mucronulatum, KOREAN RHODODENDRON. 6 ft. March-April.

Asiatic species. Flowers rose-colored. Handsome scarlet Fall coloring.

9-12 in.	1.25	11.25	100.00
12-18 in.	2.00	18.00	162.00
18-24 in.	2.50	22.50	202.00

smirnovi, SMIRNOW RHODODENDRON

9-12	in.	\$2.00	\$18.00
12-18	in.	4.00	36.00

SHORTIA.

glacifolia, OCONEE-BELLS. 6-9 in. White. April.

Beautiful and rare low evergreen, with galax-shaped leaves and white, bell-shaped flowers in earliest Spring.

Clumps .60 5.40

VINCA, Periwinkle.

minor, COMMON PERIWINKLE. April-July.

Hardy evergreen trailing herb. Flowers lilac-blue. A splendid ground cover.

	St	rong pla	nts	.25	1.75	15.00
minor	alba,	WHITE	CON	MON	PERIWINKLE.	


Strong plants .30 2.40 21.00

YUCCA, Yucca.

filamentosa; COMMON YUCCA. White. June-July.

Narrow evergreen leaves. Immense pyramidal clusters of creamy-white flowers on long stalk.

Strong plants .30 2.40 21.00



KELSEY CATAWBA RHODODENDRON

DECIDUOUS TREES AND SHRUBS

The deciduous trees and shrubs listed are varieties that have proved of merit for planting as far north as northern New England and many are hardy in southern Canada.

The choice of varieties depends on the location and the type of planting. We offer many trees that are unexcelled for lawn, park and street planting, while the flowering shrubs, relatively inexpensive, are useful in mass plantings, shrub borders, and in foundation plantings with the evergreens and broadleaf evergreens. There are some flowering shrubs to add color to each season and those that fruit attract great numbers of birds.

Note.—The hights given immediately after the names are approximate hights reached by the trees and shrubs under most favorable conditions, first under cultivation, and then as observed in their native habitat. Color of flowers and time of bloom are given, unless the flowers are inconspicuous or lacking.

ACER, Maple.

Each

10

100

81.00

dasycarpum, SILVER MAPLE. 60-100 ft. May.

Large, rapid growing tree for quick effects.

3-3½ in. cal., 16-18 ft. 6.00 54.00

ginnala, AMUR MAPLE. 12-20 ft. May.

Yellowish fragrant flowers.

2-3 ft.

.40

3.60

negundo, BOXELDER. 40-60 ft.

Rapid-growing, bright green foliage.

5-6 ft. .75 6.75 6-8 ft. 1.00 9.00

8-10 ft. 1.25 • 11.25

palmatum, JAPANESE MAPLE. 20-25 ft.

A small tree. Deeply-lobed green leaves, turning bright red in Autumn.

2-3 ft. 1.50 13.50 120.00 3-4 ft. 2.25 20.25 182.00

pennsylvanicum, STRIPED MAPLE. 20-40 ft. Yellow.

Slender tree. Beautiful green-striped bark.

4-5 ft. .75 6.75 60.00

5-6 ft. 1.25 11.25 100.00

6-8 ft. 1.50 13.50

platanoides, NORWAY MAPLE. 100 ft. Yellowish green. April-May. One of the best street trees—very free from disease.

6-8 ft.	1.50	13.50	120.00
1 in. to $1\frac{1}{4}$ in.		•	
cal. 8-10 ft.	2.00	18.00	162.00
$1\frac{1}{2}$ in. to $1\frac{3}{4}$ in.			
cal. 10-12 ft.	3.00	27.00	240.00
1¾ in. to 2 in.			
cal. 12-14 ft.	4.00	36.00	

platanoides schwedleri, SCHWEDLER MAPLE. 40-60 ft. Leaves bright red when young, changing to dark green.

5-6 ft. 1.50 13.50 6-8 ft. 2.50 22.50

ACER, Continued,	Each	10	100
pseudoplatanus, SYC	CAMORE N	APLE.	
4-5 ft.	.75		
5-6 ft.	1.00		
6-8 ft.			
8-10 ft.	2.00		
rubrum, RED MAPI	_E. 30-120	ft. March-A	pril.
Flowers red or so			Foliage turns
brilliant scarlet or			
5-6 ft.		9.00	
6-8 ft.		13.50	
1¼ in. to 1½ in.	2.00	10.00	
		18.00	
1¾ in. to 2 in. cal. 10-12 ft.		27.00	
saccharum, SUGAR			
April. Upright, d		th. Foliage	bright scarlet
and orange in Au		. 0.00	01.00
	1.00	9.00	81.00
6-8 ft. 8-10 ft.	$\begin{matrix} \textbf{1.50} \\ \textbf{2.25} \end{matrix}$		$120.00 \\ 182.00$
spicatum, MOUNTA			
June. Valuable u	ndershrub.	Leaves tur	n yellow and
scarlet.	20		40.00
2-3 ft.	.60	5.40	48.00
	.75	6.75	
tataricum, TATARIA 8-10 ft.			
	1.75	15.75	
WIER MAPLE.	2.50	22.50	
10-12 ft. 12-14 ft.	3.00	44.90	
ESCULUS.	5.00		
hippocastanum, HOR	SECHEST	NUT	
1-2 ft	.50	4.50	
AILANTHUS.	.00	4.00	
glandulosa, AILANT	HUS (Tre	e of Heaven)	
3-4 ft.	.40	3.60	
4-5 ft.	.60	5.40	
5-6 ft.	1.00	9.00	
6-8 ft.	1.50		
MELANCHIER, Sha			
laevis, ALLEGHEN		OW. 20-40 ft	White May.
3-4 ft.	1.00	9.00	. *************************************
4-5 ft.	1.50		
	2.00		
	3.00		
oblongifolia, THICK	ET SHAD	BLOW. 6-1	5 ft. White.
Early May. Shrub			
Often incorrectly s	old as Ame	elanchier cana	densis, a large
tree type.			
18-24 in.	.40	3.60	32.00
2-3 ft.	.60	5.40	48.00
stolonifera, RUNNIN	IG SHADB	LOW. 2-4 ft.	White. May.
Attractive dwarf,	spreads to	form low thi	ckets. Purple
fruit in Summer.			
18-24 in.	.40	3.60	32.00
AMORPHA, False-indi			
fruticosa, INDIGOBE			ne.
Purple-blue flower			
2-3' ft.	.30	2.70	
3-4 ft.		3.60	
tennesseensis, TENN	ESSEE IN	DIGO. 4-5 ft.	Violet-purple.
June.			
2-3 ft.	.30	2.70	
3-4 ft.	.40	3.60	

4-5 ft.

.60

ARALIA,	Aralia	Each	10	100
		Each	10	100
cordata,				
	18-24 in.	.30	2.70	
	2-3 ft.	.40	3.60	
spinosa,	DEVILS-	WALKINGSTIC	K.	
	3-4 ft.	.40		
	4-5 ft.	.60		
	5-6 ft	.80		
ARONIA,	Chokeberr	у.		•
arbutifol	ia, RED (CHOKEBERRY	. 4-10 ft.	White or red-
dish.	April-May.	Bright red f	ruit.	
	2-3 ft.	.50	4.50	39.00
	3'-4 ft.	.60	5.40	48.00
atropurp	urea, PUR	PLE CHOKEB	ERRY.	
	_ 1	50		90.00

2-3 ft. .50 4.50 39.00

melanocarpa, BLACK CHOKEBERRY. 4-8 ft. White. April-May. Shining black fruit.

2-3 ft. .50 4.50 39.00 3-4 ft. .60 5.40 48.00

melanocarpa grandiflora, GREAT BLACK CHOKEBERRY.

2-3 ft. .40 3.60 3-4 ft. .60 5.40

ARTEMISIA, Wormwood

arborescens. 5-8 ft. Yellowish. July.

Aromatic shrub with silvery-white branches.

3-4 ft. .40 3.60

AZALEAS

We list only the native and most hardy exotic varieties. These acid-soil loving plants mass well with the broadleaf evergreens and are distinct and beautiful additions to any planting. Though not evergreen they are closely related to the rhododendrons and require similar soil conditions and care.

AZALEA, Azalea.

arborescens, SWEET AZALEA. 5-15 ft. White and pink. June-July. Delightfully spicy, fragrant white flowers with pink stamens appear in profusion, lasting for weeks. The foliage colors striking shades of red in late Autumn.

9-12 in.	.75	6.75	60.00
12-15 in.	1.25	11.25	100.00
15-18 in. clumps	1.50	13.50	120.00
18-24 in. clumps	2.00	18.00	162.00
2-3 ft. clumps	3.00	27.00	240.00
3-4 ft. clumps	5.50	49.50	

calendulacea, FLAME AZALEA. 6-15 ft. Orange shades. May, June. The most regal of all the species, native or exotic, and a noble representative of our rich Carolina mountain flora. Flowers of the finest red-lead, orange, and bright gold, as well as yellow and creamcolor.

9-12 in.	.75	6.75	60.00
12-15 in.	1.25	11.25	100.00
15-18 in.	1.50	13.00	120.00
18-24 in.	2.00	18.00	162.00
2-3 ft.	2.50	22.50	
3-4 ft.	4.00	36.00	
4-5 ft	5.50	49.50	

canescens, PIEDMONT AZALEA. 3-10 ft. Deep pink. April-May. Quite fragrant.

 15-18 in. clumps
 1.25
 11.25
 100.00

 18-24 in. clumps
 2.00
 18.00
 162.00

 2-3 ft. clumps
 2.75
 24.00

AZALEA,	Continued.	Each	10	100
gandave	nsis, GHENT	AZALEA.		
	15-18 in.	1.75	15.75	
	18-24 in.	2.50	22.50	
japonica	, JAPANESE	AZALEA.	6 ft. April-	·May.
Flower	rs salmon-red,	brick-red	or carmine.	
	9-12 in.	1.00	9.00	81.00
	12-15 in.	1.50	13.50	120.00
	15-18 in.	2.00	18.00	162.00
	18-24 in.	3.00	27.00	240.00
kaempfe	ri, TORCH A	ZALEA.	8 ft. April-M	ay.
Bright	orange-red fl	owers with	h yellow anth	ers.
	9-12 in.	1.25	11.25	
	12-15 in.	2.00	18.00	
	15-18 in.	2.50	22.50	
	18-24 in.	3.00	27.00	
	HUNNEWEL	.L. Seedli	ing grown. L	arge orange
red flo		1.00	0.00	
	9-12 in. 12-15 in.	$1.00 \\ 1.50$	$\begin{array}{c} 9.00 \\ \textbf{13.50} \end{array}$	
	12-15 in. 15-18 in.	$\frac{1.50}{2.00}$	18.00	•
- udiflana	, PINXTERB			Morr
	ful clear pink,			
	vaseyi.	blooming	very earry, j	ust following
2120200	15-18 in.	1.50	- 13.50	
	18-24 in.	2.50	22.50	
	2-3 ft.	3.00		
	Ila, FIVE-LE			
April,	May. Orange			Autumn.
	15-18 in.			
	ensis, KOREA			Purple-lilac
May.	Unique among			
	9-12 in.	1.25		100.00
	12-15 in.			
_	15-18 in.			- 7.5
rosea, D June.	OWNY PINX	TERBLO	OM. 4-6 ft.	Rose. May-
	9-12 in.	.75	6.75	60.00
	12-15 in.			120.00
	15-18 in.	2.00	18.00	
	2-3 ft.	3.00	27.00	
schlippen	bachi, ROYAL	AZALE	A. 3-8 ft. M	ay.
	pale rose-col	ored flow	ers, upper lo	bes spotted
reaaisn	brown.			
	9-12 in.			162.00
	12-15 in.			240.00
	INKSHELL A			
	ced by Harla		•	
	pink or deep r May before			ear in early
April 0	12-15 in.		13.50	120.00
	15-18 in.			162.00
	18-24 in.			240.00
	2-3 ft.			240.00
	SWAMP AZA ragrant.			June-July.
	l8 in. clumps	.60	5.40	48.00
	24 in. clumps	1.25	11.25	100.00
	3 ft. clumps	1.50	13.50	

BERBERIS, Barberry. Each 10 100 aggregata pratti, PRATT BARBERRY. 6-10 ft. Yellow flowers, red fruit. 18-24 in. .45 4.00 brachypoda. 5-8 ft. Yellow flowers. Blood-red fruit. Large leaves. .40 12-18 in. 3.60 18-24 in. .60 emarginata. 3-4 ft. Yellow. April-May. Densely-branched dwarf variety with deep-red elongated fruit. 18-24 in. 1.00 . 9.00 koreana, KOREAN BARBERRY. 6-7 ft. Yellow. May. Broad bright green leaves change to deep red in Autumn. 18-24 in. 1.00 9.00 thunbergi, JAPANESE BARBERRY. 3-8 ft. Pale yellow. April-May. Large red fruit. Brilliant Fall coloring. .20 12-18 in. 1.40 18-24 in. .25 1.80 12.00 thunbergi maximowiczi, CORAL BARBERRY. 3-8 ft. Brilliant fruit and coloring. 12-18 in. .504.50 thunbergi minor, BOX BARBERRY. 2-3 ft. Very Dwarf form. 12-15 in. .35 2.75 vernae, VERNA BARBERRY. 4-6 ft. Yellow. May. Graceful spreading shrub. 9-12 in. 3.60 .40 .50 12-15 in. 4.50 BETULA, Birch. alba, EUROPEAN WHITE BIRCH. 60 ft. Shining white bark. 4-6 ft. .756.756-8 ft. 1.25 11.25 8-10 ft. 1.50 12.50 10-12 ft. 2.50 CUTLEAF WEEPING BIRCH. 60 ft. 4-5 ft. 2.00 nigra, RIVER BIRCH. 50-90 ft. Conspicuous and graceful with reddish bark. Likes moist and sandy soil. 3-4 ft. 5.40 48.00 .60 64.00 4-5 ft. 7.20.80 5-6 ft. 1.00 9.00 13.50 6-8 ft. 1.50 8-10 ft. 2.00 18.00 papyrifera, CANOE BIRCH. 60-100 ft. Very white trunk and loose graceful head when older. 4-5 ft. 60.00 .75 6.75 5-6 ft. 1.25 11.256-8 ft. 1.50 13.50 8-10 ft. 2.0018.00

CALYCANTHUS, Sweetshrub.

floridus, COMMON SWEETSHRUB. 7-12 ft. Fragrant, reddish-brown flowers in June-July.

18-24 in. .30 2.70

BUDDLEIA, Butterflybush.

alternifolia. 10-15 ft. Lilac-purple. June.

18-24 in. .50 4.50 39.00

CARAGANA, Pea-shrub.

September.

2-3 ft.

.50

4.50

100

10

Each

arborescens, SIBERIAN PEATREE. 8-20 ft. Yellow. May-

				it. Yellow. May-
June.	3-4 ft.	.60	5.40	
	4-5 ft.		6.75	
	5-6 ft.			
foutov DI				Bright yellow.
•			om Russia	_
June-Jun	1-2 ft.	.40		and Siberia.
	2-3 ft.	.60		
			0.40	
CARPINUS,				
·			BEAM. 65-7	
Makes a			or a fine law	
	2-3 ft.			60.00
	3-4 ft.			
	4-5 ft.			
	5-6 It.	2.50	22.50	
			ORNBEAM.	
	•			anches and dark
bluish-gr			hedge plant.	
		.40		
	3-4 ft.			
		1.00		
		1.50		120.00
	6-8 ft.	2.50	22.50	
CASTANEA	, Chestni	ıt.		
pumila, CH	HINQUA	PIN. 20-4	5 ft.	
- ,				et pointed edible
nut scar	cely hal	f size of o	common ches	stnut.
	1-2 ft.	.60	5.40	48.00
	2-3 ft.	.80	7.20	
CERCIS, Re	dbud.			
		ICAN RE	DBUD. 15-3	5 ft. Rosy pink.
April-Ma	iy.			
	3-4 ft.	75	6.75	
	4-5 ft.	1.25	11.25	
CHIONANT	HUS, Fr	ingetree.		
			REE. 5-30 f	ft. White. May-
June.				
	1-2 ft.	.75	6.75	
CLADRASTI	S Vello			
		w-wood.		
	•		e-July.	
	60 ft. W	Thite. Jun	•	oping panicles of
A charm	60 ft. W	Thite. Jun ve tree wi	ith loose dro	oping panicles of
A charm	60 ft. W ning nati flowers	Thite. Junve tree wi	ith loose dro	4
A charm	60 ft. W ning nati flowers	Thite. Junve tree win Summe	ith loose dro er. 3.60	4
A charm	60 ft. Whing nation flowers 2-3 ft. 3-4 ft.	Thite. Junve tree win Summe	ith loose dro er. 3.60 5.40	4
A charm fragrant	60 ft. Wring nati flowers 2-3 ft. 3-4 ft. 6-8 ft.	Thite. Junve tree wiin Summe .40	ith loose dro er. 3.60 5.40	4
A charm fragrant	60 ft. Whing national flowers 2-3 ft. 3-4 ft. 6-8 ft. Clethra.	Thite. Junve tree win Summe .40 .60 3.50	ith loose dro er. 3.60 5.40	32.00
A charm fragrant CLETHRA, acuminata,	60 ft. Whing nation flowers 2-3 ft. 3-4 ft. 6-8 ft. Clethra.	White. Junve tree win Summe .40 .60 3.50	ith loose dro er. 3.60 5.40	32.00) ft. White. July-
A charm fragrant CLETHRA, acuminata,	60 ft. Whing nation flowers 2-3 ft. 3-4 ft. 6-8 ft. Clethra. Upright	we tree with the summer of the	ith loose dro er. 3.60 5.40 CTHRA. 8-20 Cinnamon c	32.00) ft. White. July-
A charm fragrant CLETHRA, acuminata, August.	60 ft. Whing nation flowers 2-3 ft. 3-4 ft. 6-8 ft. Clethra. Upright 1-2 ft.	White. Junve tree win Summe .40 .60 3.50 MON CLE growth40	ith loose dro er. 3.60 5.40 CTHRA. 8-20 Cinnamon c 3.60	32.00 ft. White. July- olored bark.
A charm fragrant CLETHRA, acuminata, August. alnifolia,	60 ft. Whing nation flowers 2-3 ft. 3-4 ft. 6-8 ft. Clethra. Upright 1-2 ft. SUMMER	we tree win Summer40 .60 3.50 MON CLE growth40 RSWEET.	th loose dro er. 3.60 5.40 ETHRA. 8-20 Cinnamon c 3.60 3-15 ft. Ju	32.00 oft. White. July-colored bark. uly-September.
A charm fragrant CLETHRA, acuminata, August. alnifolia,	60 ft. Whing natiflowers 2-3 ft. 3-4 ft. 6-8 ft. Clethra. Upright 1-2 ft. SUMMER ragrant f	we tree win Summer40 .60 3.50 MON CLE growth40 RSWEET.	th loose dro er. 3.60 5.40 THRA. 8-20 Cinnamon c 3.60 3-15 ft. Juerect panicle	32.00 oft. White. July-colored bark. uly-September.
A charm fragrant CLETHRA, acuminata, August. alnifolia,	60 ft. Whing national flowers 2-3 ft. 3-4 ft. 6-8 ft. Clethra. CINNA Upright 1-2 ft. SUMMER ragrant for 1-2 ft.	we tree win Summer. 40 .60 3.50 MON CLE growth40 RSWEET. lowers in 6 .30	THRA. 8-20 Cinnamon c 3.60 3-15 ft. Juerect panicle 2.70	32.00 oft. White. July-colored bark. uly-September.
A charm fragrant CLETHRA, acuminata, August. alnifolia,	60 ft. Whing natiflowers 2-3 ft. 3-4 ft. 6-8 ft. Clethra. CINNA Upright 1-2 ft. SUMMER ragrant for 1-2 ft. 2-3 ft.	we tree wiin Summe .40 .60 3.50 MON CLE growth40 RSWEET. lowers in 6 .30 .45	THRA. 8-20 Cinnamon c 3.60 3-15 ft. Juerect panicle 2.70	32.00 oft. White. July-colored bark. uly-September.
A charm fragrant CLETHRA, acuminata, August. alnifolia, S White fr	60 ft. Whing nation flowers 2-3 ft. 3-4 ft. 6-8 ft. Clethra. CINNA Upright 1-2 ft. SUMMER ragrant for 1-2 ft. 2-3 ft. 3-4 ft.	we tree with the summer of the	3.60 5.40 THRA. 8-20 Cinnamon c 3.60 3-15 ft. Juerect panicle 2.70 4.00 5.40	32.00 oft. White. July- olored bark. uly-September. d racemes.
A charm fragrant CLETHRA, acuminata, August. alnifolia, S White fr	60 ft. Whing natiflowers 2-3 ft. 3-4 ft. 6-8 ft. Clethra. CINNA Upright 1-2 ft. SUMMER ragrant f 1-2 ft. 2-3 ft 3-4 ft. s, TREE	we tree with the summer of the	3.60 5.40 THRA. 8-20 Cinnamon c 3.60 3-15 ft. Juerect panicle 2.70 4.00 5.40	32.00 oft. White. July-colored bark. uly-September.
A charm fragrant CLETHRA, acuminata, August. alnifolia, S White fr	foo ft. Whing natiflowers 2-3 ft. 3-4 ft. 6-8 ft. Clethra. CINNA Upright 1-2 ft. SUMMER agrant f 1-2 ft. 2-3 ft 3-4 ft. S, TREE July-Au	MON CLE growth40 .30 .45 .60 CLETHE	3.60 5.40 THRA. 8-20 Cinnamon c 3.60 3-15 ft. Juerect panicle 2.70 4.00 5.40	32.00 oft. White. July- olored bark. uly-September. d racemes.
A charm fragrant CLETHRA, acuminata, August. alnifolia, S White fr	60 ft. Whing natiflowers 2-3 ft. 3-4 ft. 6-8 ft. Clethra. Clethra. Upright 1-2 ft. SUMMER ragrant ft. 2-3 ft. 3-4 ft. s, TREE July-Au 2-3 ft.	MON CLE growth40 .30 .45 .60 CLETHF agust.	3.60 5.40 THRA. 8-20 Cinnamon c 3.60 3-15 ft. Juerect panicle 2.70 4.00 5.40	32.00 oft. White. July- olored bark. uly-September. d racemes.
A charm fragrant CLETHRA, acuminata, August. alnifolia, S White fr	flowers 2-3 ft. 3-4 ft. 6-8 ft. Clethra. CINNA Upright 1-2 ft. SUMMER ragrant f 1-2 ft. 2-3 ft 3-4 ft. s, TREE July-Au 2-3 ft. 3-4 ft.	we tree win Summer40 .60 .3.50 MON CLE growth40 .45 .60 .45 .60 CLETHER gust2.00 .3.00	THRA. 8-20 Cinnamon c 3.60 3-15 ft. Ju erect panicle 2.70 4.00 5.40 8A. 15-40 ft.	32.00 oft. White. July- olored bark. uly-September. d racemes.

KELSEY-HIGHLA	NDS NURS	ERY	23
	Each	10	100
COLUTEA, Bladde	er-senna.		
media. 8-16 ft. May-July.	Brownish-r	ed or deep	orange flowers.
18-24 in	n40	3.60	
CORNUS, Dogwood	d.		
alba sibirica, CO	RAL DOGW	OOD. 6-10 f	t. White. July.
Branches brigh		0.50	
2-3 ft 3-4 ft		2.70 3.60	
alternifolia, PAG			ft May-Tune
			ck fruit on red
2-3 ft		_	39.00
3-4 ft		9.00	81.00
			Yellowish-white. blue, sometimes
3-4 ft	t40	3.60	
			ft. White. May.
			its pure white- nt scarlet fruit.
2-3 ft			60.00
3-4 ft			
4-5 ft			
5-6 ft		27.00	
florida rubra, Ri Pink. May.			OOD. 10-25 ft.
	t. 1.75		
	t. 2.25 t. 3.50		
	t. 5.00		
kousa, KOUSA	DOGWOOD.	15-20 ft.	
	floral heads		n China. Dense, in mid-June and
1-2 ft			
	t. 1.00		
kousa chinensis.	15-20 ft. 1 t. 1.00		es than above.
	t. 1.00		
paniculata, GRA			May-June.
	d flowers. V	White fruit o	n red pedicels in
1-2 f			
	t40		
white. May-Ju	une. Purple	or dark-red	-12 ft. Greenish- branches.
2-3 ft		2.70 4.50	
	OSIER DO	GWOOD. 6-8	8 ft. Dull white.
2-3 f			W 11100 11 01100
	t40		
stolonifera, GOL			6-8 ft.
	t30		
3-4 f		3.60	
CORYLUS, Hazeli		751 51117 0) 10 ft Cood for
americana, AME under cover.	ERICAN HA	ZELNUT. 3	3-10 ft. Good for
2-3 f	t60	5.40	48.00
2 / f	+ 75	6.75	

3-4 ft.

.60 .75

_			
	Each	10	100
COTONEASTER, Cotonea	ster.		
acutifolia, PEKING CO	TONEA	STER. 6-8 ft	. White and
pink. June. Semi-ev			
	.30	2.70	24.00
18-24 in.	.40	3.60	32.00
2-3 ft.	.60	5.40	- Calla ma
acutifolia villosula. Dei		oit with large 3.60	er ionage.
6-12 in. Pot grown 12-18 in. Pot grown		5.40	
18-24 in. Pot grown		6.75	
2-3 ft.	1.00	9.00	
6-8 ft.		36.00	
apiculata. 4-7 ft. Wh	ite. Ju	ne. Scarlet	fruit.
6-9 in.	.40	3.60	
9-12 in.	.60	5.40	
bullata floribundaVIL	MORIN	COTONEAST	ER. 6 ft.
Pinkish flowers.			
6-9 in. Pot grown		3.60	
9-12 in. Pot grown		5.40	
dielsiana, DIELS COTO	NEAST	ER. 6 ft. Pir	nkish. June.
Slender arching brane			
12-18 in. Pot grown		4.50	
18-24 in. Pot grown			
divaricata, SPREADIN		ONEASTER,	6 ft. Pink.
June. Bright red fru			
12-18 in. Pot grown		4.50	39.00
18-24 in. Pot grown		6.75	60.00
foveolata. 6-10 ft. Pir			
Black fruit; foliage t			nd orange.
18-24 in. Pot grown		6.75	
integerrima, EUROPEA			
June. Much-branche		shrub with	pink nowers.
Globular, bright red		5.40	
12-18 in. Pot grown			
lucida. 6-10 ft. Pink. Upright, dense shrub;	_		Of walue or o
hedge plant, stands c			Or value as a
12-18 in. Pot grown		2.70	24.00
18-24 in. Pot grown			48.00
moupinensis, MUPIN			
June. Long broad for	00101		ft White
	oliage		ft. White.
_		Black fruit.	ft. White.
18-24 in. Pot grown nitens. 4-6 ft. Pink.	ı75	Black fruit.	ft. White.
18-24 in. Pot grown	ı75 June.	Black fruit. 6.75	
18-24 in. Pot grown nitens. 4-6 ft. Pink. Broad shrub. Dark purplish-black.	June. green	Black fruit. 6.75 lustrous leav	
18-24 in. Pot grown nitens. 4-6 ft. Pink. Broad shrub. Dark	June. green	Black fruit. 6.75 lustrous leav	
18-24 in. Pot grown nitens. 4-6 ft. Pink. Broad shrub. Dark purplish-black. 12-18 in. Pot grown 18-24 in. Pot grown	175 June. 2 green 30 1 .60	Black fruit. 6.75 lustrous leav 2.70 5.40	ves, pendulous
18-24 in. Pot grown nitens. 4-6 ft. Pink. Broad shrub. Dark purplish-black. 12-18 in. Pot grown 18-24 in. Pot grown racimiflora soongarica.	June. green 1 .30 1 .60 8 ft.	Black fruit. 6.75 lustrous leavenum 2.70 5.40 White.	ves, pendulous 24.00 48.00
18-24 in. Pot grown nitens. 4-6 ft. Pink. Broad shrub. Dark purplish-black. 12-18 in. Pot grown 18-24 in. Pot grown racimiflora soongarica. Slender spreading bran	June. green 1 .30 1 .60 8 ft.	Black fruit. 6.75 lustrous leavenum 2.70 5.40 White.	ves, pendulous 24.00 48.00
18-24 in. Pot grown nitens. 4-6 ft. Pink. Broad shrub. Dark purplish-black. 12-18 in. Pot grown 18-24 in. Pot grown racimiflora soongarica. Slender spreading bran Red fruit.	June. green 1 .30 1 .60 8 ft. 1 sches wi	Black fruit. 6.75 lustrous leavenum 2.70 5.40 White. th clusters of	ves, pendulous 24.00 48.00
18-24 in. Pot grown nitens. 4-6 ft. Pink. Broad shrub. Dark purplish-black. 12-18 in. Pot grown 18-24 in. Pot grown racimiflora soongarica. Slender spreading bran Red fruit. 9-12 in. Pot grown	n75 June green n .30 n .60 8 ft. nches wi	Black fruit. 6.75 lustrous leav 2.70 5.40 White. th clusters of	ves, pendulous 24.00 48.00
18-24 in. Pot grown nitens. 4-6 ft. Pink. Broad shrub. Dark purplish-black. 12-18 in. Pot grown 18-24 in. Pot grown racimiflora soongarica. Slender spreading bran Red fruit. 9-12 in. Pot grown racimiflora veitchi. 8	June. green 1 .30 1 .60 8 ft. 1 .00 ft. Wh	Black fruit. 6.75 lustrous leavenum 2.70 5.40 White. th clusters of 9.00 ite.	ves, pendulous 24.00 48.00
18-24 in. Pot grown nitens. 4-6 ft. Pink. Broad shrub. Dark purplish-black. 12-18 in. Pot grown 18-24 in. Pot grown racimiflora soongarica. Slender spreading bran Red fruit. 9-12 in. Pot grown racimiflora veitchi. 8 Spreading habit. Da	June. green 1.30 1.60 8 ft. 1.00 ft. Whark red	Black fruit. 6.75 lustrous leavenum 2.70 5.40 White. th clusters of 9.00 ite. fruit.	ves, pendulous 24.00 48.00
18-24 in. Pot grown nitens. 4-6 ft. Pink. Broad shrub. Dark purplish-black. 12-18 in. Pot grown 18-24 in. Pot grown racimiflora soongarica. Slender spreading bran Red fruit. 9-12 in. Pot grown racimiflora veitchi. 8 Spreading habit. Da 6-9 in. Pot grown	June.	Black fruit. 6.75 lustrous leavenum 2.70 5.40 White. th clusters of 9.00 ite. fruit. 5.40	ves, pendulous 24.00 48.00 white flowers
18-24 in. Pot grown nitens. 4-6 ft. Pink. Broad shrub. Dark purplish-black. 12-18 in. Pot grown 18-24 in. Pot grown racimiflora soongarica. Slender spreading bran Red fruit. 9-12 in. Pot grown racimiflora veitchi. 8 Spreading habit. Da	June. June. green 1.30 1.60 8 ft. 1.00 ft. Whark red 1.60 LLOWL	Black fruit. 6.75 lustrous leavenum 2.70 5.40 White. th clusters of 9.00 ite. fruit. 5.40 EAF COTONE	ves, pendulous 24.00 48.00 white flowers
18-24 in. Pot grown nitens. 4-6 ft. Pink. Broad shrub. Dark purplish-black. 12-18 in. Pot grown 18-24 in. Pot grown racimiflora soongarica. Slender spreading bran Red fruit. 9-12 in. Pot grown racimiflora veitchi. 8 Spreading habit. Da 6-9 in. Pot grown salicifolia floccosa, WII	June. June. green 1.30 1.60 8 ft. 1.00 ft. Whark red 1.60 LLOWL	Black fruit. 6.75 lustrous leavenum 2.70 5.40 White. th clusters of 9.00 ite. fruit. 5.40 EAF COTONE	ves, pendulous 24.00 48.00 white flowers
nitens. 4-6 ft. Pink. Broad shrub. Dark purplish-black. 12-18 in. Pot grown 18-24 in. Pot grown racimiflora soongarica. Slender spreading bran Red fruit. 9-12 in. Pot grown racimiflora veitchi. 8 Spreading habit. Da 6-9 in. Pot grown salicifolia floccosa, WILL White. May-June. Red fruit. 9-12 in. Pot grown selicifolia floccosa, WILL White. May-June. Red fruit. 9-12 in. Pot grown	June. Jule.	Black fruit. 6.75 lustrous leavent 2.70 5.40 White. th clusters of 9.00 ite. fruit. 5.40 EAF COTONE evergreen, spiral.	ves, pendulous 24.00 48.00 white flowers
nitens. 4-6 ft. Pink. Broad shrub. Dark purplish-black. 12-18 in. Pot grown 18-24 in. Pot grown racimifiora soongarica. Slender spreading bran Red fruit. 9-12 in. Pot grown racimifiora veitchi. 8 Spreading habit. Da 6-9 in. Pot grown salicifolia floccosa, WII White. May-June. Red fruit. 9-12 in. Pot grown 12-18 in. Pot grown	June.	Black fruit. 6.75 lustrous leavent 2.70 5.40 White. th clusters of 9.00 ite. fruit. 5.40 EAF COTONE evergreen, specification	ves, pendulous 24.00 48.00 white flowers
nitens. 4-6 ft. Pink. Broad shrub. Dark purplish-black. 12-18 in. Pot grown 18-24 in. Pot grown racimiflora soongarica. Slender spreading brank Red fruit. 9-12 in. Pot grown racimiflora veitchi. 8 Spreading habit. Date of the series of	June.	Black fruit. 6.75 lustrous leavenum 2.70 5.40 White. th clusters of 9.00 ite. fruit. 5.40 EAF COTONE evergreen, spin 4.50 9.00	ves, pendulous 24.00 48.00 white flowers.
nitens. 4-6 ft. Pink. Broad shrub. Dark purplish-black. 12-18 in. Pot grown 18-24 in. Pot grown racimiflora soongarica. Slender spreading bran Red fruit. 9-12 in. Pot grown racimiflora veitchi. 8 Spreading habit. Da 6-9 in. Pot grown salicifolia floccosa, WII White. May-June. Red fruit. 9-12 in. Pot grown 12-18 in. Pot grown 12-18 in. Pot grown 2abeli. 4-6 ft. Pinkis Broad shrub, ovoid reserved.	June.	Black fruit. 6.75 lustrous leavenum 2.70 5.40 White. th clusters of 9.00 ite. fruit. 5.40 EAF COTONE evergreen, spin 4.50 9.00	ves, pendulous 24.00 48.00 white flowers EASTER. 6 ftreading habit
nitens. 4-6 ft. Pink. Broad shrub. Dark purplish-black. 12-18 in. Pot grown 18-24 in. Pot grown racimiflora soongarica. Slender spreading brank Red fruit. 9-12 in. Pot grown racimiflora veitchi. 8 Spreading habit. Date of the series of	June.	Black fruit. 6.75 lustrous leavenum 2.70 5.40 White. th clusters of 9.00 ite. fruit. 5.40 EAF COTONE evergreen, spin 4.50 9.00	ves, pendulous 24.00 48.00 white flowers.

18-24 in. Pot grown 1.00

Each 10 100 CRATAEGUS, Hawthorn. arkansana, ARKANSAS HAWTHORN. 30 ft. May-June. Scarlet fruit in October. .40 6-12 in. 3.60 arnoldiana, ARNOLD HAWTHORN. 15-20 ft. White. May. Fruit bright crimson. 2-3 ft. 1.00 9.003-4 ft. 1.25 11.25 102.00 13.50 4-5 ft. 1.50 120.00 5-6 ft. 2.00 18.00 6-8 ft. 3.00 27.00 coccinea, THICKET HAWTHORN. 20 ft. White. May-Bushy tree; ½-inch long red fruit. 1-2 ft. .40 3.60 32.00 2-3 ft. .60 5.403'-4 ft. 1.00 9.004-5 ft. 1.50 13.50 coccinoides. 15-20 ft. Round-topped, densely-branched tree with bright orange and scarlet fruits. 2-3 ft. .60 5.40 3-4 ft. 1.00 9.00 4-5 ft. 1.50 13.50 cordata, WASHINGTON HAWTHORN. 30 ft. May-June. Beautiful Fall coloring and long clusters of bright red fruit, remaining a long time. 2-3 ft .75 6.75 60.0C 3-4 ft. 1.00 81.00 9.00 4-5 ft. 1.50 13.50 120.00 5-6 ft. 2.00 18.00 3.50 6-8 ft. 31.50 crusgalli, COCKSPUR THORN. 40 ft. White. May-June. Showy bright red fruit, remaining until Spring. 2-3 ft. .75 6.75 3-4 ft. 1.00 9.00 4-5 ft. 1.50 13.50 monogyna, ENGLISH HAWTHORN (one-stone). 15-20 ft. White. May. Oval bright red fruit. .75 2-3 ft. 6.75 oxycantha, ENGLISH HAWTHORN (two-stone). 8-15 ft. May. White flowers are followed by brilliant red "hows," which hang until February. 2-3' ft. .75 6.753-4 ft. 1.00 9.00 4-5 ft. 1.50 13.50 oxyacantha splendens, PAUL DOUBLE SCARLET HAW-THORN. One of the most brilliant late Spring bloomers. 4-5 ft. 2.50 22.50 5-6 ft. 3.00 27.00 peregrina, PERSIAN HAWTHORN. 15 ft. White. Dark, dull purple fruit. 1-2 ft. .50 4.50 2-3 ft. .75 6.751.25 3-4 ft.

May-June. Brilliant scarlet fruit and lustrous leaves. 2-3 ft. .75 6.75 60.00 3-4 ft. 9.00 1.00

White.

prunifolia, PLUMLEAF HAWTHORN. 30 ft.

Each 10 100 CRATAEGUS, Continued. punctata, DOTTED HAWTHORN. 25 ft. White. May-June. Horizontal spreading branches; dull red fruit. .75 2-3 ft. 6.75 3-4 ft. 1.00 9.00 4-5 ft. 1.25 11.255-6 ft. 1.7515.006-8 ft. 2.50 22.50rotundifolia, ROUNDLEAF HAWTHORN. 8-16 ft. White. May. Red fruit. 2-3 ft. .753-4 ft. 1.25 4-5 ft. 2.00 tomentosa, PEAR HAWTHORN. 12-20 ft. White. June. Yellow or yellow-red fruit. .50 1-2 ft. 4.50 2-3 ft. .756.753-4 ft. 1.25 11.25 4-5 ft. 2.00 CYDONIA, Quince. japonica, FLOWERING QUINCE. 3-6 ft. Red. May. Good, old-fashioned shrub. 2.70 1-2 ft. .3024.00CYTISUS, Broom. scoparius, SCOTCH BROOM. 5-8 ft. Green twiggy stems and mass of clear yellow flowers in May and June. Prune severely after flowering. 15-18 in. 4 in pots .60 5.40 48.00 Hybrid Seedlings. 5 ft. May-June. From selected seed of the finest named varieties. Remarkable variations of color from white and clear yellow to deep red. 15-18 in. Pot grown. 1.00 9.00DAPHNE. Daphne. mezereum, FEBRUARY DAPHNE. 2-4 ft. Upright. Rosypurple. February-April. 2.70 6-9 in. .30 DEUTZIA, Deutzia. PRIDE OF ROCHESTER. 8-12 ft. White and pink. Profuse bloomer. 2-3 ft. .30 2.703-4 ft. .40 3.60.50 4-5 ft. 4.50 scabra, FUZZY DEUTZIA. 4-10 ft. White or blush. Jun-July. Upright flower panicles. Shaggy bark. 2-3 ft. 3.6032.00 .40 scabra candidissima, SNOWFLAKE DEUTZIA. 6-10 ft. Double, white. July. 18-24 in. .30 2.70

2-3 ft. DIERVILLA, Bushshoneysuckle.

12-18 in.

18-24 in.

scabra

rivularis, GEORGIA BUSHHONEYSUCKLE, 4-6 ft.

crenata. 6-8 ft. Pink and white.

.20

.30

.40 .

Double. July.

16.00

1.80

2.70

Yellow. July-August. Dense growth. 18-24 in. .30 2.70

trifida, DWARF BUSHHONEYSUCKLE. 1-3 ft. Yellow. June-July. A fine very low-growing ground cover, rarely over two feet high.

18-24 in. Collected 2.70 -30

	Each	10	100
ELAEAGNUS, Elaeagr	nus.		
augustifolia, RUSSIA			
Silvery foliage; yel 4-5 ft.		F 40	
	.60 1.00	5.40 9.00	
ELSHOLTZIA.	00	••••	
stauntoni. 1-3 ft. I	Lilac-purple.	September-	October.
Flowers in conspic	cuous spike		
Strong plants		14.50	39.00
ENKIANTHUS, Enkia			
campanulatus, RED\			
Orange. May. Na			
flowers, yellowish of pendulous stalks in		- •	
Autumn. Requires			
12-15 in.	.75	6.75	60.00
15-18 in. 18-24 in.	1.00 1.75	$\begin{array}{c} 9.00 \\ 15.00 \end{array}$	81.00 140.00
2-3 ft.	2.50	22.50	202.00
3-4 ft.	4.00	36.00	202.00
4-5 ft.	6.00	54.00	
perulatus, WHITE E	NKIANTH	JS. 4-7 ft.	White. May.
Dwarfer species.	Leaves turn	yellow or s	carlet.
15-18 in.		13.50	
18-24 in.	2.00	18.00	
2-3 ft.	3.00	27.00	~~
subsessilis, NIKKO June. A handsom			
brilliant red in At		apecies, ie.	aves turning
	2.00	18.00	
EUONYMUS, Euonymu	ıs.		
alatus, WINGED EÜ	ONYMUS.	8-10 ft. Yell	owish. May-
June. Leaves brill	iant crimsor	in Autumn;	corky wings
on branches. 2-3 ft.	.60	5.40	48.00
	.75		60.00
alatus (compact for		•••	
2-2½ ft.	1.25	11.25	
bungeanus, WINTER			
Yellowish. June.		range and p	ink fruit re-
mains long on bra		0.77	
4-5 ft.	1.00	6.75 9.00	
	1.50		
europaeus, EUROPE,			2-20 ft.
Yellowish. May.			
2-3 ft.	.40	3.60	
	.60		
	2.00		
maacki. 4-7 ft. Ye Orient.		fruits. July	. From the
2-3 ft.	.60	5.40	48.00
3-4 ft. 4-5 ft.	.80 1.25	7.20 11.25	
patens, SPREADING Half-evergreen shi			
2-3 ft.	.60	5.40	
yedoensis, YEDDO E			ellow June.
Masses of pink an			
1-2 ft.	.30	2.70	24.00
9 2 ft	50	4.50	20.00

.50

4.50

39.00

2-3 ft.

	Each	10	100
EXOCHORDA, Pearlbus	h.		
grandiflora (racemosa)	•		USH. 6-10 ft.
White. April. Slene		_	
2-3 ft.	.60	5.40	,
3-4 ft.	.75	6.75	
4-5 ft.	1.00	9.00	•
FAGUS, Beech.	N PEECH	CO CO 6+	
americana, AMERICA One of the best for			
	2.50	22.50	
4-5 ft.		31.00	
5-6 ft.	4.50	40.00	
6-7 ft.	6.00	54.00	
7-8 ft.	8.00	72.00	
sylvatica, EUROPEAN	BEECH.	80 ft.	
Long-lived shade tre		•	
	2.00	18.00	162.00
3-4 ft.	3.00	27.00	
FORSYTHIA, Forsythia			
intermedia, BORDER	FORSYTH	IA. 10-15	ft. Yellow.
April-May.	0.0	1.00	
18-24 in.	.20	1.80	
2-3 ft. 3-4 ft.	.30 .40	2.70 3.60	
4-5 ft.	.60	5.40	
5-6 ft.	.80	7.20	
intermedia primulina,			-11Δ 4-8 ft
Deep yellow flowers			1-0 10.
18-24 in.	.60	5.40	48.00
2-3 ft.	.80	7.20	
2-0 It.	.80	1.20	
intermediate spectabili			FORSYTHIA.
	is, SHOWY	BORDER	
intermediate spectabili 6-10 ft. Primrose. liant yellow flowers	is, SHOWY An improved	BORDER	ger, more bril-
intermediate spectabili 6-10 ft. Primrose. liant yellow flowers 18-24 in.	is, SHOWY An improved	BORDER I form, larg	
intermediate spectabili 6-10 ft. Primrose. liant yellow flowers 18-24 in. 2-3 ft.	is, SHOWY An improved .25 .40	BORDER I form, large 2.25 3.60	ger, more bril-
intermediate spectabilities 6-10 ft. Primrose. I liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft.	is, SHOWY An improved .25 .40 .60	BORDER d form, larg 2.25 3.60 5.40	ger, more bril-
intermediate spectabilities 6-10 ft. Primrose. It is a liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft.	.25 .40 .60	BORDER I form, large 2.25 3.60	ger, more bril-
intermediate spectabilities of the first spectabilities of	.25 .40 .60 .80	BORDER d form, large 2.25 3.60 5.40 7.20	ger, more bril- 20.00
intermediate spectability 6-10 ft. Primrose. It is a liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and	.25 .40 .60 .80 T. April.	2.25 3.60 5.40 7.20 species from	ger, more bril- 20.00
intermediate spectability 6-10 ft. Primrose. It is a liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom.	.25 .40 .60 .80 April. handsome	BORDER 1 form, large 2.25 3.60 5.40 7.20 species from	ger, more bril- 20.00 om Korea, the
intermediate spectability 6-10 ft. Primrose. It is a liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. State 18-24 in.	.25 .40 .60 .80 .April. handsome Stands extre	BORDER 1 form, large 2.25 3.60 5.40 7.20 species from the cold. 5.40	ger, more bril- 20.00
intermediate spectability 6-10 ft. Primrose. It is a liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. State 18-24 in.	.25 .40 .60 .80 April. handsome Stands extre	BORDER 1 form, large 2.25 3.60 5.40 7.20 species from the cold. 5.40	ger, more bril- 20.00
intermediate spectability 6-10 ft. Primrose. It is a special liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. Special liant. 18-24 in. 2-3 ft.	.25 .40 .60 .80 T. April. handsome Stands extre .60 .80	2.25 3.60 5.40 7.20 species from cold. 5.40 7.20 9.00	20.00 m Korea, the 48.00
intermediate spectability 6-10 ft. Primrose. It is a special liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. Special liant in the special liant is a special liant in the special liant in the special liant is a special liant l	.25 .40 .60 .80 T. April. handsome Stands extre .60 .80 1.00 FORSYTHI	2.25 3.60 5.40 7.20 species from cold. 5.40 7.20 9.00 A. Yellow	20.00 m Korea, the 48.00
intermediate spectabilit 6-10 ft. Primrose. liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. 18-24 in. 2-3 ft. 3-4 ft. suspensa, WEEPING	.25 .40 .60 .80 .April. handsome Stands extre .60 .80 1.00 FORSYTHI	2.25 3.60 5.40 7.20 species from cold. 5.40 7.20 9.00 A. Yellow	20.00 m Korea, the 48.00
intermediate spectabilit 6-10 ft. Primrose. liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. 18-24 in. 2-3 ft. 3-4 ft. suspensa, WEEPING Long, slender incurv 18-24 in. suspensa fortunei, FO	.25 .40 .60 .80 .April. handsome Stands extre .60 .80 1.00 FORSYTHI ing branche .25	2.25 3.60 5.40 7.20 species from cold. 5.40 7.20 9.00 A. Yellow s. 2.25	20.00 20.00 Morea, the 48.00 April-May. 20.00 8-12 ft.
intermediate spectabilit 6-10 ft. Primrose. liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. 18-24 in. 2-3 ft. 3-4 ft. suspensa, WEEPING Long, slender incurv 18-24 in. suspensa fortunei, FO Yellow. April-May.	.25 .40 .60 .80 .April. handsome Stands extre .60 .80 1.00 FORSYTHI ing branche .25	2.25 3.60 5.40 7.20 species from cold. 5.40 7.20 9.00 A. Yellow s. 2.25	20.00 20.00 Morea, the 48.00 April-May. 20.00 8-12 ft.
intermediate spectabilit 6-10 ft. Primrose. liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. 18-24 in. 2-3 ft. 3-4 ft. suspensa, WEEPING Long, slender incurv 18-24 in. suspensa fortunei, FO Yellow. April-May. branches.	.25 .40 .60 .80 April. handsome Stands extre .60 .80 1.00 FORSYTHI ing branche .25 PRTUNE FO	BORDER I form, large 2.25 3.60 5.40 7.20 species from cold. 5.40 7.20 9.00 A. Yellow s. 2.25 DRSYTHIA abit with	20.00 20.00 Morea, the 48.00 April-May. 20.00 8-12 ft.
intermediate spectabilit 6-10 ft. Primrose. liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. 18-24 in. 2-3 ft. 3-4 ft. suspensa, WEEPING Long, slender incurv 18-24 in. suspensa fortunei, FO Yellow. April-May. branches. 18-24 in.	25 .40 .60 .80 T. April. handsome Stands extre .60 .80 1.00 FORSYTHI ing branche .25 RTUNE FO Upright ha	2.25 3.60 5.40 7.20 species from cold. 5.40 7.20 9.00 A. Yellow s. 2.25 DRSYTHIA abit with	20.00 m Korea, the 48.00 April-May. 20.00 8-12 ft. finely-arching
intermediate spectabilit 6-10 ft. Primrose. liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. 18-24 in. 2-3 ft. 3-4 ft. suspensa, WEEPING Long, slender incurv 18-24 in. suspensa fortunei, FO Yellow. April-May. branches. 18-24 in. 2-3 ft.	.25 .40 .60 .80 .April. handsome Stands extre .60 .80 1.00 FORSYTHI ing branche .25 RTUNE FO Upright ha	2.25 3.60 5.40 7.20 species from cold. 5.40 7.20 9.00 A. Yellow s. 2.25 DRSYTHIA abit with 1.80 2.70	ger, more bril- 20.00 m Korea, the 48.00 April-May. 20.00 8-12 ft. finely-arching
intermediate spectabilit 6-10 ft. Primrose. liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. 18-24 in. 2-3 ft. 3-4 ft. suspensa, WEEPING Long, slender incurv 18-24 in. suspensa fortunei, FO Yellow. April-May. branches. 18-24 in. 2-3 ft. suspensa sieboldi, SIEE	.25 .40 .60 .80 .7. April. handsome Stands extre .60 .80 1.00 FORSYTHI ing branche .25 RTUNE FO Upright has .20 .30	BORDER I form, large 2.25 3.60 5.40 7.20 species from cold. 5.40 7.20 9.00 A. Yellow s. 2.25 DRSYTHIA abit with 1.80 2.70 YTHIA. 4	20.00 Morea, the 48.00 April-May. 20.00 8-12 ft. finely-arching 24.00 -6 ft. Yellow.
intermediate spectabilit 6-10 ft. Primrose. liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. 18-24 in. 2-3 ft. 3-4 ft. suspensa, WEEPING Long, slender incurv 18-24 in. suspensa fortunei, FO Yellow. April-May. branches. 18-24 in. 2-3 ft. suspensa sieboldi, SIEE April-May. Low-gro	25 .40 .60 .80 April. handsome Stands extre .60 .80 1.00 FORSYTHI ing branche .25 RTUNE FO Upright ha .20 .30 BOLD FORS	2.25 3.60 5.40 7.20 species from cold. 5.40 7.20 9.00 A. Yellow s. 2.25 DRSYTHIA abit with 1.80 2.70 SYTHIA. 4 slender personal street series series series from cold.	20.00 Morea, the 48.00 April-May. 20.00 8-12 ft. finely-arching 24.00 -6 ft. Yellow.
intermediate spectabilit 6-10 ft. Primrose. liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. 18-24 in. 2-3 ft. 3-4 ft. suspensa, WEEPING Long, slender incurv 18-24 in. suspensa fortunei, FO Yellow. April-May. branches. 18-24 in. 2-3 ft. suspensa sieboldi, SIEE	25 .40 .60 .80 April. handsome Stands extre .60 .80 1.00 FORSYTHI ing branche .25 RTUNE FO Upright ha .20 .30 BOLD FORS	2.25 3.60 5.40 7.20 species from cold. 5.40 7.20 9.00 A. Yellow s. 2.25 DRSYTHIA abit with 1.80 2.70 SYTHIA. 4 slender personal street series series series from cold.	20.00 Morea, the 48.00 April-May. 20.00 8-12 ft. finely-arching 24.00 -6 ft. Yellow.
intermediate spectabilit 6-10 ft. Primrose. liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. 18-24 in. 2-3 ft. 3-4 ft. suspensa, WEEPING Long, slender incurv 18-24 in. suspensa fortunei, FO Yellow. April-May. branches. 18-24 in. 2-3 ft. suspensa sieboldi, SIEE April-May. Low-gro branches often trailit 3-4 ft.	.25 .40 .60 .80 . April. handsome Stands extre .60 .80 1.00 FORSYTHI ing branche .25 RTUNE FO Upright ha .20 .30 BOLD FORS wing form, ing the grow.50	2.25 3.60 5.40 7.20 species from cold. 5.40 7.20 9.00 A. Yellow s. 2.25 DRSYTHIA abit with 1.80 2.70 YTHIA. 4 slender perund.	20.00 Morea, the 48.00 April-May. 20.00 8-12 ft. finely-arching 24.00 -6 ft. Yellow.
intermediate spectability 6-10 ft. Primrose. liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. 18-24 in. 2-3 ft. 3-4 ft. suspensa, WEEPING Long, slender incurv 18-24 in. suspensa fortunei, FO Yellow. April-May. branches. 18-24 in. 2-3 ft. suspensa sieboldi, SIEE April-May. Low-grobranches often traility 3-4 ft. FOTHERGILLA, Fothere	.25 .40 .60 .80 . April. handsome Stands extre .60 .80 1.00 FORSYTHI ing branche .25 RTUNE FO Upright handsome solutions form, ing the grounds .50 gilla.	2.25 3.60 5.40 7.20 species from cold. 5.40 7.20 9.00 A. Yellow s. 2.25 DRSYTHIA abit with 1.80 2.70 YTHIA. 4 slender perund.	20.00 Morea, the 48.00 April-May. 20.00 8-12 ft. finely-arching 24.00 -6 ft. Yellow.
intermediate spectabilit 6-10 ft. Primrose. liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. 18-24 in. 2-3 ft. 3-4 ft. suspensa, WEEPING Long, slender incurv 18-24 in. suspensa fortunei, FO Yellow. April-May. branches. 18-24 in. 2-3 ft. suspensa sieboldi, SIEE April-May. Low-gro branches often trailit 3-4 ft.	.25 .40 .60 .80 .April. handsome Stands extre .60 .80 1.00 FORSYTHI ing branche .25 RTUNE FO Upright ha .20 .30 BOLD FORS wing form, ing the grow.50 gilla. ERGILLA.	2.25 3.60 5.40 7.20 species from cold. 5.40 7.20 9.00 A. Yellow s. 2.25 DRSYTHIA abit with 1.80 2.70 YTHIA. 4 slender perund.	20.00 Morea, the 48.00 April-May. 20.00 8-12 ft. finely-arching 24.00 -6 ft. Yellow.
intermediate spectability 6-10 ft. Primrose. liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. 18-24 in. 2-3 ft. 3-4 ft. suspensa, WEEPING Long, slender incurv 18-24 in. suspensa fortunei, FO Yellow. April-May. branches. 18-24 in. 2-3 ft. suspensa sieboldi, SIEE April-May. Low-gro branches often traility 3-4 ft. FOTHERGILLA, Fothermajor, LARGE FOTH	.25 .40 .60 .80 . April. handsome Stands extre .60 .80 1.00 FORSYTHI ing branche .25 RTUNE FO Upright ha .20 .30 SOLD FORS wing form, ing the grow .50 gilla. ERGILLA. 1.50	2.25 3.60 5.40 7.20 species from cold. 5.40 7.20 9.00 A. Yellow s. 2.25 DRSYTHIA abit with 1.80 2.70 YTHIA. 4 slender pound. 4.50	20.00 Morea, the 48.00 April-May. 20.00 8-12 ft. finely-arching 24.00 -6 ft. Yellow.
intermediate spectability 6-10 ft. Primrose. liant yellow flowers 18-24 in. 2-3 ft. 3-4 ft. 4-5 ft. ovata. 4-6 ft. Yellow A new, distinct and earliest to bloom. 18-24 in. 2-3 ft. 3-4 ft. suspensa, WEEPING Long, slender incurv 18-24 in. suspensa fortunei, FO Yellow. April-May. branches. 18-24 in. 2-3 ft. suspensa sieboldi, SIEE April-May. Low-grobranches often traility 3-4 ft. FOTHERGILLA, Fother major, LARGE FOTH	.25 .40 .60 .80 . April. handsome Stands extre .60 .80 1.00 FORSYTHI ing branche .25 RTUNE FO Upright ha .20 .30 BOLD FORS wing form, ing the gro .50 gilla. ERGILLA. 1.50 2.00	2.25 3.60 5.40 7.20 species from cold. 5.40 7.20 9.00 A. Yellow s. 2.25 DRSYTHIA abit with 1.80 2.70 YTHIA. 4 slender perund. 4.50	20.00 Morea, the 48.00 April-May. 20.00 8-12 ft. finely-arching 24.00 -6 ft. Yellow.
intermediate spectability 6-10 ft. Primrose. Iteration of the primrose of the primrose. Iteration of the primrose of the primrose of the primrose of the primrose. Iteration of the primrose of the pr	25 .40 .60 .80 . April. handsome Stands extre .60 .80 1.00 FORSYTHI ing branche .25 RTUNE FO Upright ha .20 .30 BOLD FORS wing form, ing the grow .50 gilla. ERGILLA. 1.50 2.00 berry.	2.25 3.60 5.40 7.20 species from cold. 5.40 7.20 9.00 A. Yellow s. 2.25 DRSYTHIA abit with 1.80 2.70 YTHIA. 4 slender pound. 4.50 13.50 18.00	20.00 Morea, the 48.00 April-May. 20.00 8-12 ft. finely-arching 24.00 -6 ft. Yellow. endulous

ground cover for sandy soils.

COLLECTED CLUMPS .50 4.50 29.00

1 ft. square

Each 10 100

GLEDITSIA, Honeylocust.

triacanthos, COMMON HONEYLOCUST. 40-140 ft. May-June. Thorny tree. Long fruit pods.

2-3 ft. .40 3.6

HALESIA, Silverbell.

monticola, MOUNTAIN SILVERBELL. 60-100 ft.

Pyramidal tree of great beauty. Pendulous bell-shaped white flowers in May.

18-24 in. .40 3.60 32.00 2-3 ft. .60 5.40 48.00 3-4 ft. 7.20 .80 · 4-5 ft. 1.00 9.00 5-6 ft. 1.50 13.50

HAMAMELIS, Witchhazel.

vernalis, VERNAL WITCHHAZEL. 4-6 ft. Yellow.

January-March. Flowers are delightfully fragrant, with bright yellow petals and sepals dark red inside.

 3-4 ft.
 1.50
 13.50
 120.00

 4-5 ft.
 2.00
 18.00
 160.00

 5-6 ft.
 3.00
 27.00
 240.00

virginiana, COMMON WITCHHAZEL. 8-25 ft. Yellow. September-October. Fine undershrub.

2-3 ft. .40 3.60 32.00 3-4 ft. .60 5.40 48.00 4-5 ft. 7.20 .80 64.00 5-6 ft. 9.00 1.00 81.00

HIBISCUS, Hibiscus, Rosemallow.

All 3-4 ft. .60 5.40

syriacus, SHRUB-ALTHEA (ROSE-OF-SHARON).
All 3-4 ft.

SHRUB TYPE

ARDEUS. Double lavender.

BANNER. Double blush.

COELESTIS. Single blue.

JEANNE d'ARC. Double white.

PURPUREA SEMI PLENA. Double purple.

RUBUS. Single red.

SNOWDRIFT. Single white.

TREE TYPE

ANEMONAEFLORUS. Double pink.

BOULE-DE-FEU.

DUCHESS-DE-BRABANT. Double red.

JEANNE d'ARC. Double blue.

PULCHERRIMA. Double flesh.

RUBUS. Single red.

SNOWDRIFT. Single white.

TOTUS ALBUS. Single white.

HYDRANGEA, Hydrangea.

arborescens, SMOOTH HYDRANGEA. 4-8 ft. White. June-July. Very suitable in a shady undershrub planting.

2-3 ft. .50 4.50

arborescens grandiflora, SNOWHILL. 3-6 ft. White. June-July. Flowers sterile and very showy; for underplanting and borders.

bretchneideri, SHAGGY HYDRANGEA. 6-9 ft.

White flowers in August. Large oval leaves. Shaggy brown bark.

 12-18 in.
 1.00
 9.00

 18-24 in.
 1.25
 13.25

 2-3 ft.
 2.00
 18.00

 3-4 ft.
 3.00
 27.00

	Each	10	100
HYDRANGEA, Continu	ied.		
paniculata, PANICL August-September.			ft. Whitish.
18-24 in.	.40	3.60	32.00
2-3 ft.	.50	4.50	39.00
paniculata grandiflora The common variet	y with larg		
changing to pink and the changing to pink and the changing to pink and the changing the changing to pink and the changing	.25	2,25	20.00
2-3 ft.	.40	3.60	22.00
paniculata praecox, i	EARLY PA	NICLE HYDE	
4-5 ft.	1.50	13.50	
	2.50		
6-8 ft.	3.50	31.50	
paniculata tardiva, L	ATE PAN	ICLA HYDRA	NGEA.
10 ft. October. La			
3-4 ft.	1.00	9.00	
4-5 ft.	1.50		
quercifolia, OAKLEA	F HYDRA	NGEA. 8 ft.	White.
August. Very broa	ad, showy i	foliage.	
2-3 ft.	.75	6.75	
radiata, SILVERLE	AF HYDRA	ANGEA. 4 ft	. White.
August. Silvery ur	ndersurface	l leaves.	
2-3 ft.	.50	4.50	39.00
HYPERICUM, St. John densisflorum. 5 ft.	Yellow. Ju	ly.	•
Narrow foliage. U Collected Pla:		3.60	32.00
	1115 .40	0.00	32.00
ILEX, Holly.			
monticola, MOUNTA			-40 ft. May.
Brilliant scarlet fru			
2-3 ft.		5.40	48.00
serrata, FINETOOTH		9.00	01.00
18-24 in.	$\frac{1.00}{2.00}$	• -	$81.00 \\ 162.00$
verticillata, COMMO			
July. Thick-growin			
	.30		A1 C.
2-3 ft.		4.50	39.00
INDIGOFERA, Indigo.			
kirilowi, KIRILOW I		4 ft Boso os	Joned Tune
From Northern Chi			norea. June.
12-18 in.			
18-24 in.			
KOLKWITZIA			
	11611 4.6	64 Dimle Ton	
amabilis, BEAUTYB			
This beautiful shr pink flowers should			rays of clear
12-18 in.			24.00
18-24 in.	.40	3.60	32.00
Flowering sizes		9.00	92.00
	.60	5.40	48.00
	1.00	9.00	81.00
4-5 ft.		13.50	120.00
LARIX, Larch.			
·	N. I. A.D.O.I.I	45 90 Gt T	
dahurica, DAHURIA May. Rare rapid-			
may. Rare rapid-s	growing spe .75	ecies from eas 6.75	stern Siberia. 60.00
4-5 ft.	1.00	9.00	81.00
5-6 ft.	1.50	13.50	01.00
6-8 ft.	2.50	22.50	
8-10 ft	2.50	31.50	

8-10 ft.

3.50

LARIX, Co	ntinued.	Each	10	100
dahurica,	var. princ	cipes ruppred	hti.	
•	_	ger cones.		
	2-3 ft.	1.00	9.00	
	3-4 ft.	1.50	13.50	
europaea,	EUROPE	AN LARCH	50-100 ft.	
	4-5 ft.	1.00	9.00	
	5-6 ft.	1.50	13.50	
	6-8 ft.	2.50	22.50	
	8-10 ft.	4.00	36.00	
leptolepis,	JAPANE	SE LARCH.	45-80 ft.	
Very has growth.	andsome	as a lawn	specimen, o	of very rapid
	5-6 ft.	1.50	13.50	120.00
	6-8 ft.	2.50	22.50	202.00
	8-10 ft.	4.00	36.00	324.00
LEUCOTHO	E, Leucot	hoe.		
racemosa,	SWEETE	BELLS. 4-10	ft. White.	April-June.
A hands	some eri <mark>c</mark> a	ceous shrub	with conspi	cuous panicles
of bell-l	like flower	s.		
	1-2 ft.	.60	5.40	48.00
	2-3 ft.	.75	6.75	60.00
recurva, F April-Ju		LEUCOTHO	E. 5-10 ft.	White.
_	9-12 in.	.30	2.70	
	12-15 in.	.50	4.50	
LIGUSTRU	•			
	ım. 4-6 ft			
		ding branche .30		
acuminatu	ım macroo	rapum, BIG	BERRY PR	IVET. 6-8 ft.
Upright,	, black fru	ıit.		
	2-3 ft.	.30	2.50	20.00
	3-4 ft.	.40	3.50	30.00
				June-July.
		•	, –	th similar to
Californ				this latitude.
	2-3 ft.	.25	2.00	15.00
	3-4 ft.			
		· 4-6 ft. W rm; very use		July. of the tender
Californ	ia privet.			45.00
	2-3 ft.		2.00	15.00
				White. June-
-			rith horizon	tal spreading
		dge plant.	2.00	, 52, 00
	18-24 in.		3.00	
				White. June-
		;reen follage, Winter; one		s of blue-black
mult till	1-2 ft.	.25	2.00	15.00
	2-3' ft.		3.00	25.00
	3-4 ft.		4.00	35.00
LONICERA				
			VSUCKLE	5 19 ft
		LINE HONE une. Bright		
renowis	-	.30		II UIL.
	2-3 ft.		3.60	
fun aug 1				5-8 ft. Cream.
				Almost ever-
green fo	•	y 544 CC1-5CC1.	TOW HOWER.	22777000 0 0 01
green it	2-3 ft.	.50	4.50	39.00
	2-3 ft. 2-4 ft		6.75	60.00

3-4 ft.

.75

6.75

LONICERA, Continued.

MAGNOLIA, Magnolia.

glauca, SWEETBAY. 25-50 ft.

2-3' ft.

scented creamy-white flowers.

Attractive shrub or small tree. Glossy foliage and sweet-

22.50

2.50

100

10

korolkowi floribunda, BROAD BLUELEAF HONEY-SUCKLE. 6-8 ft. Foliage pale grey. Profuse bright pink flowers in May and June. 18-24 in. .50 4.50 maacki, AMUR HONEYSUCKLE. 12-18 ft. White. Fragrant. June. Fruit dark red. 3-4 ft. 7.20maacki erubescens. 15 ft. Pink. June. Larger foliage. .75 2-3 ft. maximowiczi sachalinensis. 10 ft. Purple. June. Dark purple conspicuous flowers and very attractive; no fruit. A new introduction. 1-2 ft. .75 6.752-3 ft. 1.00 9.00 3-4 ft. 1.5013.50 morrowi, MORROW HONEYSUCKLE. 5-6 ft. White. Red fruit. May-June. 2-3 ft. .40 3.60 3-4 ft. .50 4.50 morrow, prostrate form. 2-4 ft. high. Very useful where low effects are desired. .60 2-3 ft. spread 3-4 ft. spread 7.20 .80 syringantha, LILAC HONEYSUCKLE. 6-8 ft. Pink. May-June. Splendid upright slender-branched shrub. Fragrant flowers. 1-2 ft. .60 5.402-3 ft. 1.00 9.00 tatarica alba, WHITE TATARIAN HONEYSUCKLE. 6-10 ft. White. May-June. 3-4 ft. .50 4.50 tatarica rosea, ROSY TATARIAN HONEYSUCKLE. 6-10 ft. Pink. May. .30 2-3 ft. 2.70 tatarica rubra. 6-10 ft. Light crimson flowers. May. 2-3 ft. .40 trichosantha, SLENDER HONEYSUCKLE. 6 ft. June. Recent introduction from Western China and Tibet; bright red fruit. 7.20 1-2 ft. .80 WHITE BELLE HONEYSUCKLE (balla albida). 6 ft. White. May-June. Hybrid morrowi x tatarica. 4-5 ft. .50 4.505-6 ft. .75 6.75

Each

MALUS, THE FLOWERING CRAB

The Flowering Crabs have few rivals among gorgeous Spring flowering trees and shrubs. At the Arnold Arboretum one of the important events of the year is the blooming of the Crabs, followed by the showy fruit.

They are of easy culture, and whether planted singly or in masses, give remarkable and quick results. Not only are the Flowering Crabs beautiful on the lawn, but they are used to the greatest advantage on a large scale in woodland and other mass plantings, as are Dogwoods and Hawthorns. No group of plants has greater value for enlivening open forest parks and the country roadside.

As soon as the ground can be worked in Spring is an ideal time for planting, and a gain in Fall after foliage is well ripened. Give rich soil and mulch heavily. Use all the water the soil will take in planting.



JAPANESE FLOWERING CRAB.
(Malus floribunda)

PRICES OF FLOWERING CRABS

	Each	10
2-3 ft.	.60	5.40
3-4 ft.	1.00	9.00
4-5 ft.	1.25	11.25
5-6 ft.	2.00	18.00
6-7 ft.	3.00	27.00
7-8 ft.	5.00	45.00

The sizes we can supply follow the description of each variety.

MALUS, Crab

angustifolia plena. 15-30 ft.

Double pink, violet-scented flowers in June. Sizes 4-5 ft. and 5-6 ft.

arnoldiana, ARNOLD CRAB. 8-15 ft.

Large rose-colored flowers, turning to white. May. Sizes 2-3 ft., 3-4 ft. and 4-5 ft.

atrosanguinea, CARMINE CRAB. 15-20 ft.

Brilliant carmine flowers. May. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft. and 6-7 ft.

baccata, SIBERIAN CRAB. 30-45 ft.

Pure white blossoms in great profusion. May. Small green or reddish fruit. Sizes 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

baccata mandshurica, MANCHURIAN CRAB. 12-15 ft.

Early May. From China and Japan; large pure white fragrant flowers, dark scarlet fruit. Sizes 2-3 ft., 5-4 ft., 4-5 ft. and 5-6 ft.

baccata, yellow fruited form.

Sizes 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

MALUS, Continued.

coronaria, WILD SWEET CRAB. 10-30 ft. June. White and pink flowers, delightfully fragrant. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft. and 7-8 ft.

DOLGA (Hansen Red Crab). 12-15 ft. May. New, distinctive, with white flowers and brilliant red, edible fruit in great profusion. Sizes 4-5 ft., 5-6 ft., 6-7 ft. and 7-8 ft.

ELEY FLOWERING CRAB (Malus purpurea eleyi). May. New, resembling floribunda, but with larger and better-colored flowers and a more profuse bloomer. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft., 7-8 ft.

floribunda, JAPANESE FLOWERING CRAB. 15-30 ft. May. Bright pink flower buds, white flowers. Small yellowish fruit much liked by birds. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft. and 6-7 ft.

floribunda, BOB WHITE.

Pure white flowers. 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft. and 7-8 ft.

floribunda, SNOWBANK.

Profuse white flowers. 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

halliana parkmani, PARKMAN CRAB. 15-20 ft. May. Bright rose-red, double flowers. A favorite in Japanese gardens. Sizes 2-3 ft., 3-4 ft.

HOPA REDFLOWERING CRAB. 12-15 ft.

A remarkable tree, which is entirely covered with rose-colored blossoms in May. Fruit is red inside and out. Very hardy. Sizes 3-4 ft., 4-5 ft. and 5-6 ft.

ioensis, PRAIRIE CRAB. 10-30 ft. Single pink. Sizes 2-3 ft. and 3-4 ft.

ioensis plena, BECHTEL CRAB. 12-15 ft. June.

Double pink flowers like small clustered roses. Sizes 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

MATHEW CRAB. 20-30 ft.

Single flowers in clusters, rose-pink in color and very fragrant. Fruit edible. Sizes 2-3 ft. and 3-4 ft.

micromalus, MIDGET CRAB. Early May.

Handsome small tree. Upright habit, showy pink flowers. Sizes 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

niedzwetzkyana, REDVEIN CRAB. 15-20 ft. May.

A Russian Turkestan species, remarkable for the red color of flowers, branches, leaves, and fruit. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft. and 7-8 ft.

prunifolia, PEARLEAF CRAB. 15-18 ft. May. White. Sizes 2-3 ft. and 3-4 ft.

prunifolia rinki (ringo) CHINESE APPLE. 15-18 ft. May. Large pinkish-white flowers, and red, yellow or green fruit, 1½ in. in diameter. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft. and 6-7 ft.

purpurea, PURPLE CRAB. 15-20 ft. May.

Rich red flowers and foliage. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft. and 7-8 ft.

robusta, CHERRY CRAB. 15-30 ft. Early May. Large white fragrant flowers; dull red fruit. Sizes 2-3 ft., 3-4 ft., 4-5 ft., 5-6 ft., 6-7 ft. and 7-8 ft.

sargenti, SARGENT CRAB. 4-6 ft. Late May.

Very spreading Japanese variety. Pure white flowers with bright yellow anthers. Scarlet fruit hanging till Spring. Sizes 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

scheideckeri, SCHEIDECKER CRAB. 15-20 ft. Early. Small tree of pyramidal habit with small bright rose-colored flowers in great profusion. Sizes 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

MALUS, Continued.

sieboldi, TORINGO CRAB. 6-10 ft. Late May.

A dense low shrub. Dark rose-colored buds contrast beautifully with the white petals of the full-blown flowers. Sizes 3-4 ft., 5-6 ft.

sieboldi arborescens. 20-30 ft. Late May.

White flowers produced in immense quantities, followed by minute red or yellow fruit. Sizes 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

theifera, TEA CRAB. 20-25 ft. May.

Numerous clusters of flowers, rose-red in the bud and pale or almost white when expanded. Sizes 2-3 ft., 3-4 ft., 4-5 ft. and 5-6 ft.

toringoides, CUTLEAF CRAB. 15-25 ft. Late May.
White Pear-shaped red fruit Pendulous branch

White. Pear-shaped red fruit. Pendulous branches. 2-3 ft. and 3-4 ft.

sublobata, YELLOW AUTUMN CRAB. 6-10 ft. Pink. Late May. Sizes 2-3 ft., 3-4 ft. and 4-5 ft.

zumi, ZUMI CRAB. Late May.

Small tree of pyramidal habit, flowers pink in bud, becoming white, and red fruit. Sizes 2-3 ft., 3-4 ft.

zumi calocarpa. 8-10 ft. Late May.

Large pink and white flowers, brilliant scarlet fruit, half-inch in diameter. Size 2-3 ft., 3-4 ft and 4-5 ft.

MYRICA, Bayberry. Each 10 100 carolinensis, NORTHERN BAYBERRY. 3-10 ft.

Spreading undershrub. Curious white fruit used for making the famous Bayberry candles.

12-18 in. .50 4.50 18-24 in. .75

NYSSA, Tupelo.

sylvatica. 20-60 ft. May-June.

Picturesque growth. Autumn coloring brilliant shades of red.

1-2 ft. .75 6.75 2-3 ft. 1.25 11.25 3-4 ft. 1.75 4-5 ft. 2.50

OSTRYA, Hophornbeam.

virginiana, AMERICAN HOPHORNBEAM. 40 ft. June. Shade-loving lawn tree.

4-5 ft. 1.50 5-6 ft. 2.00

OXYDENDRUM, Sourwood.

arboreum, SOURWOOD. 10-60 ft. White. June-August. Flowers when a few feet high; a mass of white flowers in Summer, and handsome foliage, turning scarlet in Autumn.

2-3 ft.	1.50	13.50	120.00
3'-4 ft.	2.50	22.50	202.00
4-5 ft.	3.50	31.50	
5-6 ft.	5.00	45.00	
6-8 ft.	7.50	67.50	

PHELLODENDRON, Corktree.

Chinense, CHINESE CORKTREE. 20-30 ft.

Small roundheaded tree. Greyish-brown corklike bark. Foliage yellow in autumn.

2-3 ft.	.30	2.70
3-4 ft.	.50	4.50
4-5 ft.	.75	6.75

chinense glabriusculum.

Variety with leaves smooth underneath.

4-5 ft. .75 6.75

Each 10 100 PHELLODENDRON, Continued. sachalinense, SAKHALIN CORKTREE. 35-50 ft. Dark brown trunk, broad panicles of black fruit; hardiest species. 2-3 ft. .40 3.60 3-4 ft. .50 4.50 10-12 ft. 3.50 31.50 12-14 ft. 5.00 45.00 14-16 ft. 10.00 90.00 16-18 ft. 15.00 135.00 18-20 ft. 20.00 PHILADELPHUS, Mockorange. White. Fragrant. AVALANCHE, 5-6 ft. June. One of the best hybrids. 18-24 in. 2.25 20.00.25 2-3 ft. 3.60 .40 coronarius, SWEET MOCKORANGE. 10 ft. White. Frag-May-June. 18-24 in. .201.80 16.00 2-3 ft. .30 2.70 24.00 3-4 ft. .40 3.60 coronarius grandiflorus, BIG MOCKORANGE. 15-20 ft. June. Vigorous growth. White. 2-3 ft. .30 2.703-4 ft. .40 3.60 grandiflorus, BIG SCENTLESS MOCKORANGE. 6-10 ft. White. June. Large flowers in great masses. 3-4 ft. .30 2.70 24.00 4-5 ft. 32.00 ,40 3.60 5-6 ft. .60 5.40 48.00 .80 6-8 ft. 7.20 lemoinei, LEMOINE MOCKORANGE. 4-6 ft. Dense racemes of white flowers with delicate perfume. 1-2 ft. .25 2.252-3 ft. .40 3.60 purpurascens, PURPLECUP MOCKORANGE. 12 ft. June-July. Fragrant white-bracteated flowers, purple calyx. 2-3 ft. .75 6.753-4 ft. 1.50 13.50 VIRGINAL MOCKORANGE. 6-7 ft. White Semi-double. June. 2-3 ft. .40 3.60 3-4 ft. .50 4.50 ZEYHER MOCKORANGE (zeyheri). 4-6 ft. White. June. 3-4 ft. .75 6.75 4-5 ft. 1.50 13.50 18.00 5-6 ft. 2.00 PHOTINIA, Photinia. villosa. 6-15 ft. White. June. Bright red fruit, persisting into Winter. Leaves turn red in Fall. · 2-3 ft. .50 4.50 3-4 ft. 6.75.75 PHYSOCARPUS, Ninebark. bracteatus, TWINPOD NINEBARK. 4-6 ft. Pinkishwhite. June-July. Neat small shrub with small leaves. 3.60 2-3 ft. .40

.60

.30

white. June-July. Vigorous growth.

opulifolius, COMMON NINEBARK. 10-15 ft. Pinkish-

3-4 ft.

3-4 ft.

5.40

POPULUS	Poplar.	Each	10	100
	AROLINA			100
	oid screen			
	6-8 ft.	1.00	9.00	81.00
8	8 - 10 ft.	1.25	11.25	102.00
			LAR. 40-60 f	it.
The Well	-known tal 6-8 ft.	l, narrow .75	form. 6.00	45.00
	8-10 ft.	1.00	8.00	65.00
simoni fast	igiata, NAI	RROW SIN	ION POPLAR	40-50 ft.
	y pyramida	l tree.		
	5-6 ft. 6-8 ft.	.75 1.00	6.75 9.00	
PIERIS, And		1.00	3.00	0
		IISH 9.4	ft Dinkich	white nedding
			eid soil plant.	white nodding
	2-18 in.		6.75	
POTENTILL	A, Cinquef	oil.		
		CINQUE	FOIL. 1-4 ft	. Yellow.
June-Aug		0.0	9.70	94.00
	8-24 in.	.30	2.70	24.00
PRUNUS, PI	•		10 20 44 77	White
			10– 20 ft. $$ $$ $$ $$ $$ $$ $$ $$ $$ $$	
Larent of	4-6 ft.	.75	6.75	
	6-8 ft.	1.00	9.00	
			PRICOT. 10-	20 ft. White.
Scarcely	edible yello 6-8 ft.		12.50	
hesseyi Di			8 ft. May.	
			black sweet	fruit
DIOWY W	2-3 ft.			39.00°
	3-4 ft.		6.75	
DOUBLE F	PINK FLO	WERING	ALMOND. 5-	6 ft. May.
	f deep pink			
	2-3 ft.		6.75	
May.	VHITEFLO	WERING	ALMOND. 3	-6 ft. White.
•	2-3 ft.	.75	6.75	
			White, pink-	toned. April.
Purple-bla			, , , , , , , , , , , , , , , , , , , ,	
	2-3 ft.			
	3-4 ft.		9.00	
·			30-40 ft. F black fruit.	ragrant.
	2-3 ft.			
maritima, E	BEACH PL	UM. 3-6 1	ft. May-June	
Dwarf va	riety, nati	ve to Nev	w England c	oast. White
		ollowed by	dull purple	fruit. Makes
fine jam 12	and jelly18 in.	.5'0	2.70	
	-24 in.		3.60	
	2-3 ft.		5.40	
		RY. 4-8 f	t. White. 1	Iay-June.
Black fru	its. -18 in.	20	2.70	
	-18 in. -24 in.	.40	$\frac{2.70}{3.60}$	
				Single white.
Black fru				
	2-3 ft.	.50		
	3-4 ft. 4-5 ft.	$\begin{matrix} .75 \\ 1.25 \end{matrix}$		
	T-17 IL.	1.40		

1.25

4-5 ft.

PRUNUS, Continued.

Each

10

100

serrulata sachalinensis, YAMA CHERRY. 60 ft. Pink.

April. Black fruit. Profusion of rose-pink or nearly white flowers; sometimes known as the Sargent Cherry.

3-4 ft.	1.00	9.00
4-5 ft.	2.00	18.00
5-6 ft.	3.00	27.00
6-8 ft.	4.00	36.00

serrulata spontanea, WILD ORIENTAL CHERRY. 40-75 ft. Single white or pink. Black fruit.

2-3 ft. . .50 4.50 3-4 ft. .75 6.75

subhirtella, HIGAN CHERRY. 20-35 ft. Light pink flowers in profusion. Black fruit.

3-4 ft. 1.00 9.00 4-5 ft. 2.00 5-6 ft. 3:00

tomentosa, NANKING CHERRY. 10 ft. White, pinkish. March-April. Red fruit. Remarkable showy flowers and fruit of finest flavor. For jams, preserves and wine it is unexcelled.

2-3 ft. .25 2.25 20.00 3-4 ft. .50 4.50 39.00 4-5 ft. .75 6.75 60.00

QUERCUS, Oak.

coccinea, SCARLET OAK. 75-160 ft.

A clean-growing tree, fine for lawn or street. Leaves brilliant scarlet in Fall.

3-4 ft. 1.50 13.50 4-5 ft. 2.00 18.00 5-6 ft. 2.75 24.00

macrocarpa, MOSSYCUP OAK. 60-150 ft.

Light brown corky bark.

2-3 ft. 1.00 9.00 3-4 ft. 1.50 13.50 4-5 ft. 2.25 20.25

palustris, PIN OAK. 60-125 ft.

Slender branches usually pendulous at ends. Symmetrical pyramidal head. Rapid growth.

 3-4 ft.
 1.00
 9.00

 4-5 ft.
 1.50
 13.50

 5-6 ft.
 2.50
 22.50

 6-8 ft.
 3.50
 31.50

 8-10 ft.
 5.00

RHAMNUS, Buckthorn.

caroliniana, CAROLINA BUCKTHORN. 8-30 ft. May-June. Shrubby tree. Leaves turning yellow in Autumn. Small round fruit changes from red to black.

4-6 ft. .75 6.75 6-8 ft. 1.00 9.00

cathartica, COMMON BUCKTHORN. 8-10 ft. Yellowish-green. May-June. Abundance of black fruit.

2-3 ft. .30 2.70 3-4 ft. .40 3.60

RHODORA, Rhodora.

canadensis, RHODORA. 2-3 ft. Lavender. April-May. Really an Azalea with gorgeous flowers in very early Spring. Plant in acid soil.

12-18 in. clumps 1.00 9.00 81.00 18-24 in. clumps 1.50 13.50 120.00 2-3 ft. clumps 2.50 22.50

RHUS, Sumac. Each 10 100 copallina, SHINING SUMAC. 5-30 ft. Greenish. August. Shrub usually quite dwarf with crimson-panicles fruit; dark green glossy foliage; colors brilliant scarlet in Autumn. 2-3 ft. .60 5.406.75 3-4 ft. .75 cotinus, COMMON SMOKETREE. 5-15 ft. Masses of filmy purple fruiting panicles. Yellow and purple Autumn tints of the leaves. 6-8 ft. 2.50 glabra, SMOOTH SUMAC. 4-15 ft. Greenish. July-August. Finely-cut leaves. 2-3' ft. 2.70 .30 3-4 ft. .40 3.60 ROBINIA, Locust. hispida, ROSEACACIA. 1-3 ft. May-June. Shrub with bristly branches and bright rose-colored flowers. 18-24 in. .40 3.60 kelseyi, KELSEY LOCUST. 4-8 ft. May-June. Very handsome and graceful with brilliant rose-colored flowers and purple fruits. Our introduction. 18-24 in. Pot grown .60 48.00 ROSA, Rose. acicularis, PRICKLY ROSE. 3 ft. May-June. Low species with solitary deep-rose single flowers, 2 in. across. 18-24 in. blanda, MEADOW ROSE. 3-5 ft. May-June. Slender low shrub with delicate pink flowers, 2-21/2 in. across. .30 18-24 in. canina, DOGBRIER. 5-10 ft. June. Orange-red or scarlet fruits; single light pink flowers. 18-24 in. .30 hugonis, HUGONIS ROSE. 6 ft. May-June. Brilliant yellow flowers, 21/2 in. across; free flowering. .30 6-12 in. 2.70 lucida, VIRGINIA ROSE. 2-4 ft. June-July. A dwarf form adapted for borders or shrubberies; shiny foliage and bright pink flowers. 18-24 in. nitida, BRISTLY ROSE. 3-6 ft. June-July. Branches covered with numerous reddish bristles, fine single reddish bristles, fine single reddish flowers 1/2 in. across. 3.60 18-24 in. rubiginosa, SWEETBRIER. 4-8 ft. June. Large bright pink flowers and showy scarlet cups. Very aromatic bright green foliage. 18-24 in. .30rugosa, RUGOSA ROSE. 6 ft. May-September. Upright shrub with large single purple flowers and brilliant large brick-red fruit. Good hedge plant if kept cut back. 18-24 in. .40 3.60rugosa alba, WHITE RUGOSA ROSE. Pure white flowers. 3.60 18-24 in. .40 32.00rugosa hybrids. Strong No. 1 .75 6.0050.00 BELLE POITEVINE. Large double magenta-pink flow-

ers. Excellent for hedges.

flower profusely produced.

CONRAD FERDINAND MEYER. Large silvery-pink

```
ROSA, Continued.
```

F. J. GROOTENDORST, Blooms all Summer. Small bright red flowers in large clusters. Fine for hedges.

HANSA. Large double reddish-violet flowers. Vigorous MAY GRAF. (See Climbing Roses.)

NEW CENTURY. Large fully double fragrant flowers of clear flesh-pink, light red center, creamy edges.

SIR THOMAS LIPTON. Pure white, double flowers on long stems.

setigera, PRAIRIE ROSE. 6-10 ft. June-July. Deep rose, single.

single. Each 10 100 18-24 in. .25 2.25

spinosissima, SCOTCH ROSE. 3-4 ft. May-June.

Branches covered with bristles; numerous solitary flowers usually fine yellow.

6-12 in. .30 2.70

WHITE VIRGINIA ROSE (virginiana alba). 2-4 ft.

Dwarf form with green stems and white flowers.

18-24 in. .40 3.60 32.00

For CLIMBING ROSES see page 47.

RUBUS, Raspberry.

odoratus, FLOWERING RASPBERRY. 3-6 ft. Rose-purple. All Summer. Fine undershrub, especially for moist locations.

18-24 in. .30 2.70

SALIX, Willow.

alba, WHITE WILLOW. 50-75 ft. April.

One of the most satisfactory of the larger Willows.

3-4 ft. .40 3.60 32.0

babylonica, BABYLON WEEPING WILLOW. 30-40 ft.

The best Weeping Willow.

6-8 ft. 1.25 11.25

discolor, PUSSY WILLOW. 8-15 ft.

2-3 ft. .40 3.60

pentandra, LAUREL WILLOW. 50-60 ft.

Lustrous dark green leaves. A good hedge plant.

4-5 ft. .60 5.40 5-6 ft. .75 6.75 6-8 ft. 1.25

SORBARIA, False-Spirea.

stellipila, STARRY FALSE SPIREA. 6-7 ft. White. June-July. Leaves appear very early in Spring.

4-5 ft. 1.00 9.00

SORBUS, Mountainash.

americana, AMERICAN MOUNTAINASH. 15-30 ft. White. May-June. Brilliant bright red fruit in large clusters.

3-4 ft. .60 5.40 4-5 ft. .80 7.20 5-6 ft. 1.00 9.00 6-8 ft. 1.50 13.50

aucuparia, EUROPEAN MOUNTAINASH. 20-50 ft. White.

May-June. Larger fruit. Leaves not so finely serrate.
4-5 ft. .60 4.50 48.00

48.00 .75 5-6 ft. 6.7560.00 6-8 ft. 1.00 81.00 9.008-10 ft. 1.50 13.50 120.0010-12 ft. 2.00 18.00 12-14 ft. 2.5022.50

commixta, JAPANESE MOUNTAINASH. 30 ft. White. May-June. Smaller leaves than American Mountainash.

6-8 ft. 2.00 18.00 8-10 ft. 3.00 27.00

mougeoti. 20-65 ft. White. June.

Small-leaved species with bright red edible fruit.

S-4 ft. 1.50 13.50 4-5 ft. 2.00 18.00

SPIRAEA, Spirea.	TO: 3	10	4.0.0
• •		10	100
ANTHONY WATERE	R. 2-4 ft.	Crimson.	June-July.
Very free flowering. 18-24 in.	.30	2.70	24.00
billiardi, BILLIARD S			
An old variety.	IIILA. 9	-, It. Rose.	July.
2-3 ft.	.40	3.60	
3-4 ft.	.60	5.40	
douglasi, DOUGLAS S	PIREA.	5-7 ft. Deep	rose. July-
August.	40	2.60	
		3.60	omi mo mo m
froebeli, FROEBEL SP 2-3 ft.		4 ft. Bright (4.50	erimson.
henry, HENRY SPIRI			ne
18-24 in.	.30	2.70	ne.
2-3 ft.	.40	3.60	
japonica, ovalifolia, W	HITE JAP	ANESE SPIR	EA. 3-4 ft.
White. Summer.			
18-24 in.	.30	2.70	
tomentosa, HARDHAC		Pink. July-S	September.
Fine for damp locati		0.770	0.4.00
2-3 ft. Collected tricocarpa. 4-6 ft. W		2.70	24.00
Introduced by Arnold			. Abundant
large white flowers.			
18-24 in.	.30		24.00
2-3 ft.		4.50	39.00
vanhouttei, VANHOUT			
June. One of the me			ooming Spi-
reas, attaining six fe 2-3 ft.		2.70	24.00
SYMPHORICARPOS, Sn.			
chenaulti. 4-6 ft. Pin	•	ite. June	
The small fruit is			lots, or one
side whitish with red	dots.		
2-3 ft.		5.40	48.00
5'-4 ft.		6.75	60.00
mollis, SPREADING S			ink. White
fruits. June-July. F	or low p	ianting.	
7-5 11	60		48 00
2-3 ft. 3-4 ft.		5.40	48.00 60 .00
3-4 ft.	.75	5.40 6.75	60.00
	.75 SNOWBE	5.40 6.75 RRY. 3-5 ft.	60.00 Pale pink.
3-4 ft. racemosus, COMMON June-September. Sh and Winter.	.75 SNOWBE	5.40 6.75 RRY. 3-5 ft. y-white fruit	60.00 Pale pink. in Autumn
3-4 ft. racemosus, COMMON June-September. Sh and Winter. 18-24 in.	.75 SNOWBE nowy snov	5.40 6.75 RRY. 3-5 ft. y-white fruit 2.70	60.00 Pale pink.
3-4 ft. racemosus, COMMON June-September. Sh and Winter. 18-24 in. 2-3 ft.	.75 SNOWBE nowy snow .30 .40	5.40 6.75 RRY. 3-5 ft. y-white fruit 2.70 3.60	60.00 Pale pink. in Autumn 24.00
3-4 ft. racemosus, COMMON June-September. Sh and Winter. 18-24 in. 2-3 ft. racemosus laevigatus,	.75 SNOWBE nowy snow .30 .40	5.40 6.75 RRY. 3-5 ft. y-white fruit 2.70 3.60	60.00 Pale pink. in Autumn 24.00
3-4 ft. racemosus, COMMON June-September. Stand Winter. 18-24 in. 2-3 ft. racemosus laevigatus, Larger white fruit.	.75 SNOWBE nowy snow .30 .40 GARDEN	5.40 6.75 RRY. 3-5 ft. y-white fruit 2.70 3.60 SNOWBERR	60.00 Pale pink. in Autumn 24.00
3-4 ft. racemosus, COMMON June-September. Shand Winter. 18-24 in. 2-3 ft. racemosus laevigatus, Larger white fruit. 18-24 in.	.75 SNOWBE nowy snow .30 .40 GARDEN	5.40 6.75 RRY. 3-5 ft. y-white fruit 2.70 3.60 SNOWBERR 3.60	60.00 Pale pink. in Autumn 24.00 Y. 4-6 ft.
3-4 ft. racemosus, COMMON June-September. Shand Winter. 18-24 in. 2-3 ft. racemosus laevigatus, Larger white fruit. 18-24 in. vulgaris, CORALBERF	.75 SNOWBE nowy snow .30 .40 GARDEN .40	5.40 6.75 RRY. 3-5 ft. y-white fruit 2.70 3.60 SNOWBERR 3.60 Pale pink.	60.00 Pale pink. in Autumn 24.00 Y. 4-6 ft. Coral fruits.
3-4 ft. racemosus, COMMON June-September. Shand Winter. 18-24 in. 2-3 ft. racemosus laevigatus, Larger white fruit. 18-24 in.	.75 SNOWBE nowy snow .30 .40 GARDEN .40	5.40 6.75 RRY. 3-5 ft. y-white fruit 2.70 3.60 SNOWBERR 3.60 Pale pink.	60.00 Pale pink. in Autumn 24.00 Y. 4-6 ft. Coral fruits.
3-4 ft. racemosus, COMMON June-September. Sh and Winter. 18-24 in. 2-3 ft. racemosus laevigatus, Larger white fruit. 18-24 in. vulgaris, CORALBERF July. Shrub with s	.75 SNOWBE nowy snow .30 .40 GARDEN .40	5.40 6.75 RRY. 3-5 ft. y-white fruit 2.70 3.60 SNOWBERR 3.60 Pale pink.	60.00 Pale pink. in Autumn 24.00 Y. 4-6 ft. Coral fruits.
3-4 ft. racemosus, COMMON June-September. Shand Winter. 18-24 in. 2-3 ft. racemosus laevigatus, Larger white fruit. 18-24 in. vulgaris, CORALBERF July. Shrub with suntil late Winter. 2-3 ft.	.75 SNOWBE nowy snow .30 .40 GARDEN .40 RY. 3-6 ft. lender bra	5.40 6.75 RRY. 3-5 ft. y-white fruit 2.70 3.60 SNOWBERR 3.60 Pale pink.	60.00 Pale pink. in Autumn 24.00 Y. 4-6 ft. Coral fruits. I with fruit
3-4 ft. racemosus, COMMON June-September. Shand Winter. 18-24 in. 2-3 ft. racemosus laevigatus, Larger white fruit. 18-24 in. vulgaris, CORALBERF July. Shrub with suntil late Winter.	.75 SNOWBE nowy snow .30 .40 GARDEN .40 RY. 3-6 ft. lender bra .30	5.40 6.75 RRY. 3-5 ft. y-white fruit 2.70 3.60 SNOWBERR 3.60 Pale pink. inches covered	60.00 Pale pink. in Autumn 24.00 Y. 4-6 ft. Coral fruits. I with fruit -24.00
3-4 ft. racemosus, COMMON June-September. Shand Winter. 18-24 in. 2-3 ft. racemosus laevigatus, Larger white fruit. 18-24 in. vulgaris, CORALBERF July. Shrub with suntil late Winter. 2-3 ft. SYRINGA, Lilac. chinensis, CHINESE in Flowers in large bro	.75 SNOWBE nowy snow .30 .40 GARDEN .40 RY. 3-6 ft. lender bra .30 LILAC. 8- ead panicle	5.40 6.75 RRY. 3-5 ft. v-white fruit 2.70 3.60 SNOWBERR 3.60 Pale pink. ches covered 2.70	60.00 Pale pink. in Autumn 24.00 Y. 4-6 ft. Coral fruits. I with fruit -24.00
3-4 ft. racemosus, COMMON June-September. Shand Winter. 18-24 in. 2-3 ft. racemosus laevigatus, Larger white fruit. 18-24 in. vulgaris, CORALBERF July. Shrub with suntil late Winter. 2-3 ft. SYRINGA, Lilac. chinensis, CHINESE in large bro 2-3 ft.	.75 SNOWBE nowy snow .30 .40 GARDEN .40 RY. 3-6 ft. lender bra .30 LILAC. 8- ead panicle .50	5.40 6.75 RRY. 3-5 ft. v-white fruit 2.70 3.60 SNOWBERR 3.60 Pale pink. ches covered 2.70 -10 ft. Purple s. 4.50	60.00 Pale pink. in Autumn 24.00 Y. 4-6 ft. Coral fruits. I with fruit -24.00
3-4 ft. racemosus, COMMON June-September. Sh and Winter. 18-24 in. 2-3 ft. racemosus laevigatus, Larger white fruit. 18-24 in. vulgaris, CORALBERF July. Shrub with s until late Winter. 2-3 ft. SYRINGA, Lilac. chinensis, CHINESE I Flowers in large bro 2-3 ft. 3-4 ft.	.75 SNOWBE nowy snow .30 .40 GARDEN .40 RY. 3-6 ft. lender bra .30 LILAC. 8- ead panicle .50 .75	5.40 6.75 RRY. 3-5 ft. v-white fruit 2.70 3.60 SNOWBERR 3.60 Pale pink. ches covered 2.70	60.00 Pale pink. in Autumn 24.00 Y. 4-6 ft. Coral fruits. I with fruit -24.00
3-4 ft. racemosus, COMMON June-September. Shand Winter. 18-24 in. 2-3 ft. racemosus laevigatus, Larger white fruit. 18-24 in. vulgaris, CORALBERF July. Shrub with suntil late Winter. 2-3 ft. SYRINGA, Lilac. chinensis, CHINESE lager in large broader. 2-3 ft. 3-4 ft. dilitata. 2-6 ft. May.	.75 SNOWBE nowy snow .30 .40 GARDEN .40 RY. 3-6 ft. lender bra .30 LILAC. 8- bad panicle .50 .75	5.40 6.75 RRY. 3-5 ft. y-white fruit 2.70 3.60 SNOWBERR 3.60 Pale pink. cnches covered 2.70 -10 ft. Purple s. 4.50 6.75	60.00 Pale pink. in Autumn 24.00 Y. 4-6 ft. Coral fruits. I with fruit -24.00
3-4 ft. racemosus, COMMON June-September. Shand Winter. 18-24 in. 2-3 ft. racemosus laevigatus, Larger white fruit. 18-24 in. vulgaris, CORALBERF July. Shrub with suntil late Winter. 2-3 ft. SYRINGA, Lilac. chinensis, CHINESE in large bro 2-3 ft. 3-4 ft. dilitata. 2-6 ft. May. Light pink with yell	.75 SNOWBE nowy snow .30 .40 GARDEN .40 RY. 3-6 ft. lender bra .30 LILAC. 8- ead panicle .50 .75	5.40 6.75 RRY. 3-5 ft. v-white fruit 2.70 3.60 SNOWBERR 3.60 Pale pink. ches covered 2.70 -10 ft. Purple s. 4.50 6.75 s.	60.00 Pale pink. in Autumn 24.00 Y. 4-6 ft. Coral fruits. I with fruit -24.00
3-4 ft. racemosus, COMMON June-September. Shand Winter. 18-24 in. 2-3 ft. racemosus laevigatus, Larger white fruit. 18-24 in. vulgaris, CORALBERF July. Shrub with suntil late Winter. 2-3 ft. SYRINGA, Lilac. chinensis, CHINESE lager in large broader. 2-3 ft. 3-4 ft. dilitata. 2-6 ft. May.	.75 SNOWBE nowy snow .30 .40 GARDEN .40 RY. 3-6 ft. lender bra .30 LILAC. 8- bad panicle .50 .75	5.40 6.75 RRY. 3-5 ft. y-white fruit 2.70 3.60 SNOWBERR 3.60 Pale pink. cnches covered 2.70 -10 ft. Purple s. 4.50 6.75	60.00 Pale pink. in Autumn 24.00 Y. 4-6 ft. Coral fruits. I with fruit -24.00

SYRINGA, Continued. Each 10 100

japonica, JAPANESE TREE LILAC. 20-30 ft. White.

Flowers in June-July. Large long panicles.

2-3 ft. .75 6.75 3-4 ft. 1.00 9.00 4-5 ft. 1.50 13.50

josikaea, HUNGARIAN LILAC. 12-15 ft. Pale violet. June-July. Valuable as a late bloomer.

2-3 ft. .50 4.50 3-4 ft. .75 6.75

microphylla, LITTLELEAF LILAC. 4-6 ft.

Spreading. Deep red buds, light pink flowers.

18-24 in. .50 4.50 2-3 ft. .75 6.75

persica, PERSIAN LILAC. 5-10 ft. Pale lilac. May-June.

Slender arching branches.

2-3 ft. .50 4.50 3-4 ft. .75 6.75

villosa, LATE LILAC. 8-12 ft. Pink. May-June.

Flowers in long broad panicles.

3-4 ft. .75 6.70

vulgaris, COMMON LILAC. 6-20 ft. Purple shades. May.

18-24 in. .40 3.60 32.00

2-3 ft. .60 5.40

vulgaris, alba, COMMON WHITE LILAC. 8-30 ft. Single.

White. Vigorous grower.

 1-2 ft.
 .40
 3.60
 32.00

 2-3 ft.
 .60
 5.40
 48.00

 3-4 ft.
 .80
 7.20
 64.00

HYBRID LILACS.

They bloom when small, transplant easily, require little care and each Spring reward us with increasing charm of flower and foliage.

 1-2 ft.
 .75
 6.75

 2-3 ft.
 1.25
 11.25

 3-4 ft.
 1.75
 15.75

 4-5 ft.
 2.50
 22.50

ALPHONSE LAVALLEE. Bluish-lilac, double. Sizes 2-3 ft. and 3-4 ft.

AMBROISE VERSCHAFFELT. Pink and white, medium size, single. Sizes 1-2 ft., 2-3 ft., 3-4 ft. and 4-5 ft.

BERRYER. Semi-double, clear mauve. Sizes 1-2 ft., 2-3 ft. and 3-4 ft.

CHARLES JOLY. Double, dark violet-purple, silvery reverse. Sizes 1-2 ft. and 2-3 ft.

CHARLES THE TENTH. Dark lilac-red, single. Sizes 1-2 ft. and 2-3 ft.

CLAUDE BERNARD. Semi-double, mauve. Sizes 1-2 ft., 2-3 ft., 3-4 ft. and 4-5 ft.

CONGO. Wine-red (own roots. Size 2-3 ft.

De JUSSIEU. Double. Sizes 2-3 ft. and 3-4 ft.

DOYEN KETELEER. Medium to large. Violet, double. Size 1-2 ft. and 2-3 ft.

DR. MAILLOT. Medium to large. Pale pink, double. Late flowering. 1-2 ft. and 2-3 ft.

DR. MASTERS. Medium to large. Light violet, double to semi-double. Sizes 1-2 ft., 2-3 ft. and 3-4 ft.

ERZHERZOG JOHANN. Small sizes. Lavender, single. Sizes 2-3 ft.

GEHEIMRAT HEYDER. Medium sizes. Light purple, single. Size 2-3 ft.

GEHEIMRAT SINGELMANN. Medium sized. Pinkishlilac, single. Size 1-2 ft. and 2-3 ft.

HUGH, KOSTER. Single, reddish lilac. Sizes 1-2 ft. and 2-3 ft.

HYBRID LILACS, Continued.

JAN VAN TOL. Single, purest white, free flowering. Sizes 2-3 ft. and 3-4 ft.

JEAN MACE. Double. Bluish-mauve. Sizes 1-2 ft., 2-3 ft., 3-4 ft. and 4-5 ft.

LAMARTINE. Single, rosy mauve. Large trusses. Sizes 1-2 ft. and 2-3 ft.

LE GAULOIS. Double, violet. Sizes 1-2 ft. and 2-3 ft.

LUDWIG SPAETH. Large panicles of dark red flowers. Sizes 1-2 ft. and 2-3 ft. (own roots).

MARC MICHELI. Large, double, lilac-purple. Size 1-2 ft. and 2-3 ft.

MARECHAL LANNES. Semi-double, bluish-violet. Sizes 1-2 ft. and 2-3 ft. ...

MARIE LEGRAYE. Single white. Sizes 1-2 ft. and 2-3 ft.

MICHEL BUCHNER. Pale lilac, large and very double. Sizes 1-2 ft., 2-3 ft., 3-4 ft. and 4-5 ft.

MIRABEAU. Single, rosy-lavender and very early. Sizes 2-3 ft. and 3-4 ft.

MME. ABEL CHATENAY. Double white, compact panicles. Sizes 1-2 ft. and 2-3 ft.

MME. CASIMIR PERIER. Double, pure white. Late. Sizes 1-2 ft. and 2-3 ft.

MME. LEMOINE. Double, large white flowers. Sizes 2-3 ft. and 3-4 ft.

M. VAN AERSCHOT. Single, pale mauve. Size 1-2 ft., 2-3 ft. and 3-4 ft.

PASCAL. Single, lilac. Sizes 1-2 ft., 3-4 ft. and 4-5 ft.

PRESIDENT GREVY. Double, deep blue, large trusses. Sizes 1-2 ft., 2-3 ft. and 3-4 ft.

PROFESSOR E. STOCKHARDT. Purplish lilac. Single. Sizes 2-3 ft. and 3-4 ft.

RED MARLEY (Rubra de Marley). Lilac-red, single. Sizes 1-2 ft., 2-3 ft. and 3-4 ft.

RENONCULE. Pale blue, double. Sizes 1-2 ft. and 2-3 ft. ROYAL BLUE. Sizes 2-3 ft. and 3-4 ft.

VAUBAN. Double, light mauve. Sizes 2-3 ft., 3-4 ft. and 4-5 ft.

VIRGINITE. Single, pure white. Sizes 2-3 ft. and 3-4 ft.

TAXODIUM, Baldcypress. Each 10 100 distichum, COMMON BALDCYPRESS. 45-150 ft. March-May. Light feathery foliage. Pyramidal habit.

2-3 ft. 1.00 9.00

TILIA, Linden.

americana, AMERICAN LINDEN. 60-125 ft. Creamy white. July. For avenue planting.

4-6 ft. 1.00 9.00 6-8 ft. 1.50 13.50

cordata, LITTLELEAF EUROPEAN LINDEN. 60-100 ft. Broadly pyramidal. Stands city conditions.

5-6 ft. 1.00 9.00 81.00 6-8 ft. 2.00 18.00 162.00

ULMUS, EIm.

americana, AMERICAN ELM. 60-120 ft.

5-6 ft. 1.00 9.00 81.00 6-8 ft. 1.50 13.50 120.00

1% in. to 2 in. cal.

8-10 ft. 2.50 22.50

2½ in. to 3 in. cal. 10-12 ft. 3.50 31.50

ULMUS, Continued.	Each	10	100
MOLINE. A vase-sha $1\frac{1}{2}$ in. to $1\frac{3}{4}$ in.		useful for s	street planting.
8-10 ft.	3.50	31.50	
1% in. to 2 in. 10 -12 ft.	5.00	45.00	
2-3 in. cal. 12-14 ft.	8.00		
pumila, CHINESE EL		ft.	
Remarkably hardy a 4-5 ft.	_		60.00
5-6 ft.			00.00
6-7 ft. 8-10 ft.		13.50	
VACCINIUM, Blueberry		18.00	
corymbosum, HIGHBI	USH BLU		
White or pinkish. only on acid soils.	Fine fruit	. A success	s commercially
12-18 in.	.40	3.60	32.00
18-24 in.		5.40	48.00
2-3 ft. 3-4 ft.	$\frac{.80}{1.25}$	7.20 11.25	64.00
pallidum, BLUERIDG			ft. White.
April. Large sweet		F 40	
12-18 in. 18-24 in.		$5.40 \\ 7.20$	
pannsylvanicum, LOW			
Greenish-white. Ap			
3-6 in. Collected clu			
stamineum, DEERBE	RRY. 3 1	ft. White.	May-June.
Green fruit. 18-24 in.	.75	6.75	
2-3 ft.	1.00	9.00	
VIBURNUM, Viburnum			
americanum, AMERI White. May-June.			USH. 8-12 ft.
1-2 ft.	.40	3.60	32.00
2-3 ft. 3 4 ft.	.60 .80	5.40 7.20	48.00
carlesi, FRAGRANT			Soft pink.
April-May. The wa			se round heads
and possess a most 12-18 in.		1 fragrance.	
18-24 in.	2.00	18.00	
2-3 ft. cassinoides, WITHER			Tune-Tuly
Fruit pink, changing			June-July.
	.40	3.60	32.00
2-3 ft. 3-4 ft.	.60 $.75$	6.40 6.75	48.00 60.00
4-5 ft.	, 1.00	9.00	81.00
dentatum, ARROWW Bushy shrub with o			
2-3 ft. clump			39.00
3-4 ft. clump		6.75	60.00
4-5 ft. clump lentago, NANNYBER			81.00 May-June
The bluish-black fru	uit is cons	picu o us.	
2-3 ft. 3-4 ft.	.30 .50	2.70 4.50	$\frac{24.00}{39.00}$
4-5 ft.	.75	6.75	60.00
molle, KENTUCKY			
Flaky bark and ligh 3-4 ft.	it grey bra .60	nchlets; fru 5.40	rt blue-black,

VIBURNUM, Continued. Each

10

100

opulus, EUROPEAN CRANBERRYBUSH. 8-12 ft. White. May-June.

2-3 ft.

.40

3.60

3-4 ft.

.50

4.50

opulus nanum, DWARF CRANBERRYBUSH. 1-2 ft.

Very dwarf, compact, small-leaved form; suitable for rockeries and very low hedges.

9-12 in.

.40

3.60

opulus sterile, COMMON SNOWBALL. 5-12 ft.

Sterile white flowers in large dense globular head.

2-3 ft.

.40

3.60

pubescens, DOWNY VIBURNUM. 8-10 ft. White. June-July. Clean growth, greyish-brown branchlets.

18-24 in.

.40

3.60

2-3 ft.

.50

4.50

sargenti, SARGENT CRANBERRYBUSH. 8-12 ft. White. June. Showy broad foliage.

2-3 ft.

.60

5.40

3-4 ft.

.80

7.20

WEIGELA, Weigela.

amabilis, ROSE WEIGELA. 3-6 ft. Rose. May-June. Masses of funnel-shaped flowers in profusion.

18-24 in.

.30

2.70

rosea, PINK WEIGELA. 4-8 ft. Pink. May-June. Very showy.

18-24 in.

.30

2.70

VANHOUTTE. 6-8 ft. Deep pink. Attractive hybrid.

2-3 ft.

.40

3.60

ZANTHORHIZA, Yellowroot.

apiifolia, YELLOWROOT. 2-4 ft. Dark purple. April. Cut foliage, very handsome.

6-12 in.

.25

2,25

20.00



GARDEN STEPS.

Estate of William E. Schrafft, Winchester, Mass. Designed and planted by Harlan P. Kelsey, Inc.

46 VINES, CREEPERS AND CLIMBERS ACTINIDIA, Actinidia. Each 10 arguta, BOWER ACTINIDIA. 30-50 ft. White. Vigorous. Thick shiny leaves. Large edible fruit. Strong Plants .60 5.4048.00AMPELOPSIS. quinquefolia, VIRGINIA CREEPER. 15-50 ft. July-August. Good for stone walls or on large trees. Strong plants .30 quinquefolia engelmanni, ENGELMANN CREEPER. 15-50 Smaller leaves. Clings to walls. Strong plants .30 tricuspidata (veitchi) JAPANESE CREEPER. 25-100 ft. June-July. As a dense wall vine has few equals. Strong plants .30 24.00ARISTOLOCHIA. sipho, DUTCHMANS-PIPE. 15-50 ft. Purple. July. Rapid-growing vine. Curious pipe-like flowers. Strong Plants .75BIGNONIA, Trumpetcreeper. radicans, TRUMPETCREEPER. 30 ft. Orange shades. August-September. Clinging by aerial roots. Strong Plants .30 2.70CELASTRUS, Bittersweet. orbiculatus punctatus, CHRISTMAS BITTERSWEET. 10-30 ft. Rapid-growing vine, climbing by twining. Bright orange pods split, disclosing scarlet seeds. .40 1-2 ft. 3.60 32.00 .60 2-3 ft. 5.40 48.00 CLEMATIS, Clematis. paniculata, SWEET AUTUMN CLEMATIS. 10-30 ft. September. Fragrant flowers in profusion. White. Strong Plants .40 3.60 White. virginiana, VIRGINSBOWER. 10-35 ft. August. Finely cut foliage, abundant flowers, fluffy fruit. Strong Plants .40 DIOSCOREA. villosa. White, with purple throat. June. Rampant spreading habit. 2.70 24.00 Strong Plants EUONYMUS, Euonymus. BABY WINTERCREEPER (Euonymus radicans minimus). 1-6 ft. Very small notched leaves and slender stems. Can be clipped for miniature hedges. 3 yr. Pot grown plants .40 3.60radicans, WINTERCREEPER. 15-20 ft. Scarlet fruit. June-July. Evergreen clinging vine. Strong Plants. .40 radicans carrierei, GLOSSY WINTERCREEPER. 10-15 ft. Clinging vine with long pointed glossy leaves. Strong Plants .40 radicans colorata. 10-20 ft. Brilliant Autumn coloring. 3.60 Strong Plants .40 radicans vegetus, BIGLEAF WINTERCREEPER. 3-20 ft. Dark green thick leaves. Strong Plants .40 3.60 32.00 petiolaris, CLIMBING HYDRANGEA. 20-50 ft. White.

LONIRICA, Honeysuckle. japonica halliana, HALL JAPANESE HONEYSUCKLE. 5-20 ft. Strong growing, delightfully fragrant white flowers changing to buff. Strong Plants 32.00

5.40

July. Leaves, flowers and fragrance distinctive.

1 yr. plants, 3 in. pots .60

LONICERA, Continued. Each 10 100

sempervirens, TRUMPET HONEYSUCKLE. 10-30 ft.

May-September. A half-climbing shrub with dark green foliage. Long tubular flowers, orange yellow or scarlet. Strong Plants .40 3.60

LYCIUM.

chinense, CHINESE MATRIMONYVINE. 6-18 ft. June-September. Vigorous woody vine for trellises or embankments. Purple flowers, scarlet or orange-red fruit. Strong Plants .40 3.60

ROSA, Rose.

CLIMBING ROSES.

No. 1

.60

5 40

ALIDA LOVETT. Bright shell pink. Midseason.

AMERICAN BEAUTY. Dark pink shaded with smoky carmine. Fragrant.

AMERICAN PILLAR. Large, single, brilliant crimson, with white center. Late.

DR. HUEY. Semi-double. Deep crimson-maroon. Mid-season.

DR. VAN FLEET. Pale pink. Perfect foliage. Midseason.

FLOWER OF FAIRFIELD. An improved crimson rambler. Early.

JACOTTE. Semi-double, orange-yellow, tinted copperred. Midseason.

LADY GAY. Similar to Dorothy Perkins. Late.

MARY WALLACE. Large, very bright pink double flowers illumined with shining gold. Early.

MAX GRAF. A rugosa hybrid; large single pink. Midseason.

PAUL'S SCARLET. Intense scarlet. Early.

PRIMROSE. New yellow rambler. Vigorous habit. Healthy dark foliage. Free flowering. Mid-season.

SILVER MOON. Long creamy buds, golden anthers. Large nearly single flowers in small sprays. Midseason.

SNOWDRIFT. Double, creamy-white. Midseason to late.

TAUSENDSCHON. Cup-shaped double flowers in large clusters, white to deep pink at the same time. Early,

VEILCHENBLAU. Semi-double, purple-rose flowers. Midseason.

WHITE DOROTHY. Small double flowers of creamy white. Late.

SCHIZOPHRAGMA.

hydrangeoides, JAPANESE HYDRANGEAVINE. 20-30 ft. White. July. Clings to walls. Showy dense foliage. Strong Plants .75 6.75

WISTERIA, Wisteria.

multijuga, LONGCLUSTER WISTERIA. 20-30 ft. Lilac. A very ornamental and popular vine.

1-2 ft. .60 5.40 2-3 ft. .80 7.20

sinensis, CHINESE WISTERIA. 35-50 ft. Purple. May-June. Long drooping panicles.

 1-2 ft.
 .50
 4.50

 2-3 ft.
 .75
 6.75

 3-4 ft.
 1.00
 9.00

 4-5 ft.
 2.00
 18.00

 5-6 ft.
 3.50
 31.50

sinensis alba, WHITE CHINESE WISTERIA. May-June.

 1-2 ft.
 .50
 4.50
 39.00

 2-3 ft.
 .75
 6.75
 60.00

 3-4 ft.
 1.00
 9.00

 4-5 ft.
 2.00
 18.00

HARDY HERBACEOUS PERENNIALS

In this list will be found a collection of hardy herbacious perennials that will give a good succession of bloom from early Spring until late Autumn. Nearly all are of easy culture. The usual list of herbacious perennials offered in American catalogs can be secured and shipped with our stock, so that customers may feel safe in ordering and getting full collections, even if not priced below.

Single plants at one-half the three rate.

Approximate hight variety attains is given after the name.

	Per 3	Per 10	Per 100
ACHILLEA, Pearl. 1-2 ft. Pure white in masses for cutting	.60	\$1.50	\$12.00
ACONITUM, Monkshood.			
fischeri, Azure Monkshood, 5 ft. Sept. Deepest blue heads of flowers	.90	2,25	18.00
AJUGA genevensis, Geneva Bugle. 6 in.	20	1 50	40.00
Splendid blue-flowered ground cover. ALTHAEA rosea, Hollyhock. 5 ft. June-	.60	1.50	12.00
July. Single and double varieties, mixed colors	.75	1.85	15.00
ALYSSUM saxatile compactum. Dwarf Goldentuft. 9-18 in. Masses of bril-	20	4 ~ 0	10.00
liant flowers in early Spring AQUILEGIA canadensis, American Col-	.60	1.50	12.00
umbine. 2 ft. April. Shades of red.	CO	1.50	10.00
Fine for naturalizing ARABIS alpina, Alpine Rockcress. More	.60	1.50	12.00
upright than albida. Leaves greener	.60	1.50	12.00
ARENARIA verna caespitosa, Moss	.00	1.50	12.04
Sandwort. June-July. Dense moss-like growth with small white flowers			
on thread-like stems. For rock gar-	00	1 50	10.00
dens and between stepping-stones ARMERIA cephalotes rubra. Shocks of	.00	1.50	12.00
narrow green leaves. Red blossoms in heads on erect stems	.60	1.50	12.00
ASCLEPIAS tuberosa, Butterflyweed.	.00	1.50	14.00
1-2 ft. Bright orange flowers in late summer	.60	1.50	12.00
ASTER, Aster.	•••	_,	
alpinus, Rock Aster. 6 in. June. Dense low habit. White or lavender			
flowersnovaeangliae rosea, Rosy New Eng-	.75	1.85	15.00
land Aster. 3-6 ft. A fine rose-col-			
ored variety. Hardy native, mixed varieties in colors	.75	1.85	15.00
tataricus, Tartarian Aster. 6 ft. Blue- violet. Very late	.75	1.85	15.0 0
BAPTISIA, Wild-indigo.	•••	2,00	20.00
australis, Blue Wild-indigo. 4-6 ft. Dark blue flowers like Lupins in			
Junetinctoria, Yellow Wild-indigo. 1-3 ft.	.90	2.25	18.00
Golden pea-shaped flowers in June.	.60	1.50	12.00
8 ft. Strong growing, large leaved			
with spikes of small pink-tinged plume-like flowers	.60	1.50	12.00
prairie and the control of the contr		_,,,,	

P	er 3	Per 10	Per 100
BOLTONIA asteroides, White Boltonia.			
8 ft. White aster-like flowers on tall			40.00
stems	.60	1.50	12.00
CALTHA palustris, Marshmarigold. 1 ft.			
April. Yellow flowers. Likes mois-			
ture	.75	1.85	15.00
CAMPANULA, Bellflower.			
carpatica, Carpathian Bellflower. 1 ft.			
All summer. Tufted habit. Bright			
blue solitary bell-shaped erect flow-		4 05	4= 00
ers, 2 in. across	.75	1.85	1 5.00
garganica. Similar to Carpathian Bell-			
flower but very dwarf with masses of star-like light blue flowers with			
white eyes	.90	2.25	18.00
CERASTIUM biebersteini, Taurus Ceras-	.00		20.00
tium. From the Alps of Taurus;			
silver-white foliage, quite wooly			
with pure white flowers	.75	1.85	15.00
columnae. Better than C. tomentosum.			
Compact growth	.90	2.25	18.00
tomentosum, Snow-in-Summer. 6 in.			
All summer. White. Attractive	20	d =0	40.00
greyish foliage	.60	1.50	12.00
CHELONE, Turtlehead. glabra, White Turtlehead. 3 ft. Aug-			
ust-September. White-toned pink			
flowers	.90	2.25	18.00
lyoni, Pink Turtlehead. 2-3 ft. July-			
September. Rosy-purple flowers;			
grows well in moist or dry ground	.90	2.25	18.00



CHRYSANTHEMUM COREANUM

OTHERSANTTIEMOM, ON your condition			
coreanum, Korean Chrysanthemum.			
2-4 ft. October-December. Large			
white flowers with golden center,			
often turning to a light claret pink.			
Blooms profusely. Our introduction.			
Clumps	.90	2.25	18.00
Strong Plants	.60	1.50	12.00

F	er 3	Per 10	Per 100
CONVALARIA majalis, Lily-of-the-Valley. 6-8 in. One of our best ground			
covers for shady places. Strong pips.	.40	1.00	8.00
COREOPSIS, Coreopsis.			
grandiflora, Big Coreopsis. 1-2 ft. June-Autumn. Masses of golden			
blossoms	.60	1.50	12.00
rosea, Rose Coreopsis. 1 ft. Finely-			
cut foliage, with dainty rose-pink blooms	.60	1.50	12.00
CYPRIPEDIUM, Ladyslipper.			
acaule, Pink Ladyslipper. 15 in. June.			
Clear pink. Long-stemmed, inter-	.90	2.25	18.00
esting flowers	.50	4.40	10.00
hybrid varieties	.90	2.25	18.00
DIANTHUS, Pink.			
barbatus, Sweet William. 1-2 ft. Summer	.40	1.00	8.00
caesius, Cheddar Pink. June. Dwarf	.±0	1.00	8.00
hardy garden pink. Rose-pink flow-			
ers	.75	1.85	15.00
Furst Bismark. June-September. Double red-pink flowers, very frag-			
rant	.75	1.85	15.00
plumarius, Grass Pink. 1 ft. June.			
Fragrant rose-purple fringed flowers rising from thick tufts of bluish-			
green foliage	.75	1.85	15.00
DICENTRA eximea, Fringed Bleeding-			
heart. 12-18 in. All Summer. Beautifully cut foliage, dainty pink-pur-			
ple flowers	.90	2.25	18.00
spectabilis, Bleedingheart. 3 ft. April.			
Pendant heart-shaped flowers. Pink	1 50	3.75	
and White DIGITALIS purpurea, Common Foxglove.		5.79	
Fine purple-flowered variety		1.85	15.00
DRABA subamplexicaulus, Whitlow-			
grass. Tufted perennial with alys-	1 50	3.75	
sum-like flowers. 6 in. April EUPATORIUM purpurum, Joe-pye-weed.		5.75	
3-6 ft. Splendid purple flowers in			
late Summer	.75	1.85	15.00
FERNS.			
Hardy ferns are very useful for massed plantings, particularly in			
shady locations. Many varieties can			
be used for edging shady walks, and			
some of the smaller types will suitably fill in little nooks in the rock			
garden. Information on varieties			
listed and regarding other varieties			
obtainable will be gladly given.			
Adiantum pedatum, American Maiden-		2.50	20.00
Athyrium filixfemina, Lady Fern.	2.00	2.00	.0.00
1-3 ft	.90	2.25	18.00
Dennstedtia punctilobula, Hayscented			
Fern. 20-40 in	.90	2.25	18.00

•	er 3	Per 10	Per 100
Dryopteris (Aspidium) Woodfern mar-			
ginalis, Leather Woodfern. 1-2 ft noveboracensis, New York Fern.	.90	2.25	18.00
1-2 ft	.90	2.25	18.00
spinulosa, Toothed Woodfern	.90	2.25	18.00
thelypteris, Marshfern	.90	2.25	18.00
Onoclea sensibilis, Sensitive Fern.			
1-4½ ft	.90	2.25	18.00
Osmunda cinnamomea, Cinnamon			
Fern. 1-5 ft		2.50	20.00
claytoniana, Interrupted Fern. 2-6 ft.		2.50	
regalis, Royal Fern. 2-6 ft	1.00	2.50	20.00
Polypodium vulgare, Common Polypody.			
3-10 in	.90	2.25	18.00
Polystichum acrostichoides, Christmas			
Fern	.90	2.25	18.00
Pteretis nodulosa, Ostrich Fern	.90	2.25	18.00
GALAX aphylla, Galax (see Broadleaf E		reens)	
HABENARIA ciliaris, Yellow Fringeorchi			
,	u.		
9-18 in. Striking orange-yellow heads	1 EO	9.55	
in July and August	1.50	3.75	
HEMEROCALLIS, Daylily.			
flava, Lemon Daylily. 3 ft. Fragrant	.90	2.25	18.00
fulva, Tauny Daylily. 2-4 ft. Reddish			
orange. May-June	.90	2.25	18.00
middendorffi, Amur Daylily (clumps)	.90	2.25	
thunbergi, Japanese Daylily. 12-18 in.			
Lemon-yellow. July-August	.90	2.25	18.00
HEPATICA triloba, Roundlobe Hepatica.			
6 in. Lovely lavender, blue or white.	7-	1 05	15.00
Spring bloomer	. 7 3	1.85	15.00
HEUCHERA, Alumroot.			
americana, American Alumroot. 10-15			
in. White. June-July. Good rock			
plant with heart-shaped foliage with			
brown-red marking	.75	1.85	15.00
sanguinea, Coralbells. 1 ft. June-			
August. Long-stemmed, graceful			
clustered scarlet flowers	.75	1.85	15.00
HIBISCUS moscheutos, Rose-Mallow.			
3-6 ft. July-August. Large holly-			
hocklike flowers along stems. Heart-			
shaped leaves	.75	1.85	15.00
HOSTA, Plantainlily.			
caerulea, Blue Plantainlily. 1-2 ft.			
Deep or pale blue. July-August	90	2.25	18.00
	.00	2.20	10.00
HOUSTONIA, Houstonia.			
serpylifolia, Creeping Bluets. 3-5 in.			
April-May. Forms little tufts with			
'tiny evergreen leaves. Mass of deli-			
cate blue and white flowers	.90	2.25	18.00
HYACINTHUS candicans (Galtonia).			
Summer Hyacinth. 2-4 ft. July-Au-			
gust. Wide bell-shaped white flow-			
ers. Plant in Spring—bulbs remain			
in ground indefinitely. Selected strain	.60	1.50	
HYPOXIS hirsuta, Goldeye Grass	.60	1.50	12.00

	Per 3	Per 10	Per 100
cristata, Crested Iris. 3-6 in. Exquisite dwarf, pale blue. May	.90	2,25	18.00
germanica, German Iris.			
DALMATICA (Pallida dalmatica).			
2-3 ft. Tall stemmed. Lavender. Very fine	90	2.25	18.00
kaempferi, Japanese Iris. Finest mixed		2.20	10.00
colors. 2-3 ft		2.25	18.00
pseudacorus, Yellowflag Iris. 3-4 ft. Bright yellow. Tall conspicuous leaves, fine for shrubberies. May-	0.0	0.05	10.00
June	.90	2.25	18.00
siberica, Siberian Iris. 1-2 ft. Lilac- blue. Slender foliage	.90	2,25	18.00
versicolor, Blueflag Iris. 20 in. Native		2.20	10.00
near streams and in swamps. Light			
purple flowers. Spring and early			
Summer	,90	2.25	18.00
LIATRIS, Gayfeather.			
pycnostachya, Cattail Gayfeather. 3-5 ft. Spikes of pale purple flowers.			
Fine for border. August-October	.90	2.25	18.00
spicata, Spike Gayfeather. 3-5 ft. Pur-			
plish-blue flowers in dense spikes.	co	1 50	10.00
August-October	.60	1.50	12.00
LILIUM, Lily. canadense, Canada Lily. 4 ft. Beau-			
tiful yellow native Lily. August	.90	2.25	
carolinianum, Carolina Lily. 3 ft. Frag-			
rant orange-red flowers in July	1.50	3.75	
grayi, Grays Lily. 1-3 ft. Bell-shaped pendulous flowers. A deep reddish-brown outside. June-July. Intro-			
duced by Harlan P. Kelsey	1.50	3.75	
philadelphicum, Orangecup Lily. 2 ft. July. Flaring upright red flowers	.90	2.25	
regale, Royal Lily. 4-6 ft. Showy Summer-blooming Lily. The fragrant flowers are 4-6 in. long, white inside, lilac and purple outside. July.		0.77	
4-5 in. circum superbum, American Turkscap Lily. 4-8 ft. Orange-scarlet to red, spotted		3.75	
inside. July		2.25	18.00
tigrinum, Tiger Lily. 2-5 ft. Orange-			
red with purple-black spots. June-			
July	.90	2.25	18.00
LYSIMACHIA, Loosestrife. nummularia, Moneywort. 2-4 in. Fine			
ground cover. Intense yellow flow-			
ers. June-July	.60	1.50	12.00
MONARDA didyma. Oswego Beebalm. 1-3 ft. Brilliant crimson, fragrant.			
July-August	.75	1.85	15.00
NEPETA mussini. 18 in. Blue flowers,			
dark spotted, clustered on long ra-			
cemes. Hairy foliage	.60	1.50	12.00
orchis spectabilis, Showy Orchis. 6-8 in. Dainty and rare Orchid with			
bright pink flowers. May-June	1.50	3.75	

PENTSTEMON, Pentstemon.	er 3	Per 10	Per 100
laevigatus digitalis, Foxglove Pent- stemon. 3 ft. July. Huge heads of	0.0	0.05	10.00
pure white Foxglove-like flowers PHLOX, Phlox.	.90	2,25	18.00
divaricata, Blue Phlox. 6-10 in. Pink-			
ish blue. April	.75	1.85	15.00
stolonifera, Creeping Phlox. Small clusters of purple and violet flowers.	.90	2.25	18.00
subulata "Vivid," Moss Phlox. 3-4 in. Vivid clear pink. April-May	1.00	2.50	20.00
White Moss (subulata alba). 3-4 in. Pure white. April-May	.75	1.85	15.00
NAMED HYBRIDS of Phlox paniculata Atlas. Salmon-pink	.90	2.25	18.00
Commander. Crimson-red with		9.95	10.00
darker eye Enchantress. Bright salmon-pink	.90	2.25 2.25	
Firebrand. Orange-scarlet	.90	2.25	
Marechal French. Deep scarlet with blood-red eye	.90	2.25	
Miss Lingard. White, faint blush			
center	.90	2.25	18.00
Mrs. Millie von Hoboken. Large, soft pink	.90	2,25	18.00
Mrs. Scholten. Deep blood-red Nicholas Flammell. Bright carmine-	.90	2.25	18.00
like, crimson eye, suffused salmon	.90	2.25	18.00
Rheinlander. Salmon-pink with claret eye	.90	2.25	18.00
PHYSOSTEGIA, False Dragonhead.			
virginiana rosea. 3 ft. New rose-col- colored variety. Rare	1.50	3.75	
POLYGONATUM commutatum, Great Solomon-seal. Arching spray of foliage, hung with white bells	90	2.25	18.00
SAPONARIA ocymoides, Rock Soapwort.		2.20	10.00
April-July. Creeping habit, bright pink flowers	.75	1.85	15.00
SAXIFRAGA cordifolia, Heartleaf Saxifrage. 12-18 in. Large thick foliage			
and purple flowers in April-May. For rockeries	1.00	2.50	20.00
SEDUM, Stonecrop. A most useful class of rock-garden material for ground			
covering and other purposes. Interesting in its variety of foliage, flower			
and effect of habits in growth. Un-			
usually fine list and true to name. acre, Goldmoss. Yellow. May-June	.40	1.00	8.00
aizoon, Aizoon Stonecrop	.60	1.50	
alboroseum, Blush Stonecrop. 2 ft. White to light pink. Summer			
alboroseum varigatum. Variegated			
album, White Stonecrop. 8 in. Creep-	.60	1.50	12.00
ing evergreen mat with white flowers. Summer	.40	1.00	8.00
anopetalum. 9 in. Whitish, rarely yellow. June-July	.60	1.50	12.00
cristatum	.60	1.50	12.00

	Per 3	Per 10	Per 100
ellacombianum. 6 in. Clustered yel-			
low flowers over half-inch across.			
Summer		1.85	15.00
ewersi, Ewers Stonecrop. Low and			
half-trailing. Ruby-crimson. Flower			
stems to one foot	.90	2.25	18.00
fosterianum, 6 in. Green foliage,			
Yellow flowers. Summer	.60	1.50	12.00
hybridum, Hybrid Stonecrop. 6 in.			
Creeping, mat-like. Yellow, Spring			
and late Summer	.60	1.50	12.00
lydium, Lydian Stonecrop. Needlelike			
foliage. Pink. June	.40	1.00	8.00
monregalense, Monreale Stonecrop.			
8 in. Whitish. July	.60	1.50	12.00
opposifitolium, Two-row Stonecrop.			
Trailing. Pinkish white petals.			
Paired leaves, blunt tipped. Summer.	.60	1.50	12.00
reflexum, Jenning Stonecrop. 9 in.			
Bright yellow. June-July	.60	1.50	12.00
rupestre. 10 in. Glaucous. Brilliant		2.00	
golden flowers. Summer	.60	1.50	12.00
sarmentosum, Stringy Stonecrop. 4 in.	.00	1.00	12.00
Creeping. Yellow. Summer	.40	1.00	8.00
	.40	1.00	8.00
sexangulare, Hexagon Stonecrop. 2 in.			
Similar to acre but more brilliant		4.05	15.00
yellow. May-June	.75		
sieboldi, Siebold Stonecrop	.60	1.50	12.00
spectabile, Showy Stonecrop. 1 ft.			
Flat pink heads. August	.75		
spurium	.60	1.50	12.00
stenopetalum. July. Creeping. Lemon-			
yellow blossoms	.90	2.25	18.00
stoloniferum, Running Stonecrop.			
Creeping, flesh-pink. Early Summer.	.40	1.00	8.00
stoloniferum coccineum, Scarlet Run-			
ning Stonecrop. Scarlet. Early Sum-			
mer	.60	1.50	12.00
SEMPERVIVUM, Houseleek.			
alberti. 2 in. Evergreen, creeping.			
White flowers in early Summer	.75	1.85	15.00
arachnoideum, Spiderweb Houseleek.			
4-6 in. Bright red. Summer	.75	1.85	15.00
globiferum, Globe Houseleek. 1 ft.	•••	.,,	2000
Rosettes to 3 in. across. Flowers			
pale yellow. Summer	.60	1.50	12.00
tectorum, Roof Houseleek. 6-9 in.			
Pale red. Summer	.60	1.50	12,00
SHORTIA galacifolia, Oconee-bells.			
- '			
(See broadleaf evergreens.)			
SILENE acaulis, Moss Campion. May-	•		1000
June. Masses of clear pink flowers.	.90	2.25	18.00
alpestris, Alpine Catchfly. May-June.			
Masses of white flowers. Prefers	0.0	0.05	40.00
moist location	.90	2.25	18.00
STATICE PSEUDOARMERIA, False			
Thrift. Pink blossoms on erect			
stems, narrow green leaves	.60	1.50	12.00
STENANTHIUM robustum, Feather-			
fleece. 5 ft. Attractive native from			
Pennsylvania south. Compound pan-			
icles of white flowers, 2 ft. or longer.			
Introduced by Harlan P. Kelsey	1.50	3.75	

7	0000	Day 10	Den 100
THALICTRUM polygamum, Tall Mead-	er s	Per 10	Per 100
owrue. 7 ft. July. Huge white clus-			
tered flower heads over showy	0.0	0.05	40.00
foliage	.90	2.25	18.09
THERMOPSIS carcliniana, Carolina Thermopsis. 4-6 ft. Long terminal			
spikes of bright yellow pea-shaped			
flowers in June or July	.75	1.85	15.09
THYMUS, Thyme.			
serpyllum album. Prostrate and creep-			
ing. White flowers. June-September.	.75	1.85	15.00
serpyllum coccineus, Crimson Thyme. Prostrate. Crimson flowers. June-			
September	.75	1.85	15.00
serpylium lanuginosus, Woolly Thyme.			
Prostrate. Purple flowers. Grey			
woolly foliage. June-September	.75	1.85	15.00
vulgaris, Common Thyme. 8-10 in.	- -	4.05	45 00
Lilac or purple flowers. May-June	.75	1.85	15.00
TRILLIUM, Trillium.			
gradiflorum, Snow Trillium. 8-18 in. White turning pink	.60	1.50	12.00
TUNICA saxifraga, Saxifrage Tunic-	•••		12.00
flower. 1 ft. Threadlike branches			
with masses of tiny pink flowers	.75	1.85	15.00
VERONICA, Speedwell.			
repens, Creeping Speedwell, Dense			
vivid green carpet. Abundance of pale blue flowers. All summer	.75	1.85	15.00
saxatilis. 6 in. Shrubby. Flower pale			
blue to pale pink. Summer	1.50	3.75	
teucrium, Royal Blue. 1 ft. Improved			
variety with deep blue flowers.		0.05	40.00
Summer		2.25	18.00
tucrium prostrate, Harebell Speedwell. Nearly prostrate. Flowers blue in			
long racemes. Summer	.90	2.25	18.00
teudrium rupestris. Dwarf form. Beau	1 -		
tiful blue flowers in Summer	.90	2.25	18.00
teucrium rupestris rosea. Dwarf form.		0.05	40.00
Pink flowers. Summer	.90	2,25	, 18.00
VIOLA, Viola. Jersey Gem. 6-8 in. Clear deep blue.			
Fine long stems. April-August		1.85	15.00
pedata, Birdsfoot Violet. 3-6 in. Light			
blue. April-May		1.50	12.00
pedata bicolor. The two upper petals		0.05	10.00
deep velvety purple		2.25 1.00	
tricolor, Common Pansy		1.00	8.00
White Jersey Gem. 6-8 in. Pure white sport of Viola Jersey Gem		2.50	20.00
and the second s		_,00	

BEFORE ORDERING

Please read carefully the Instructions for Placing Orders on Page 2, and remember that WHEN CASH ACCOMPANIES ORDER a discount

of 10 per cent may be taken.

Five plants of same variety and size at the 10 rate, 25 at the 100 rate.

INDEX

Name	_		Page	Name	Page
Abies		l Coreopsis	50	Hornbeam	
Acer	$\dots 17$	Corktree	35	Hosta	51
Achillea	48	Cornus	23	Houseleek	54
Aconitum	48	Corylus			
Actinidia	46	Cotoneaste	r13. 24	Huckleherry	28
Ailanthus	18	Crab, Flow	vering 33	Hyacinth	51
Ajuga	48	Cranberryb	ush 44	Hyacinthus	U.
Almond	37	Crataegus	25	Hydrangea	
Althaea	48	Cydonia .	26	Hydrangeav	48
Alumroot	51	Cypress	5	Hypericum	me. 47
Alyssum	48	Cypripediu			50
Amelanchier	18	Cytisus	96	Hypoxin	16
Amorpha			20		44 00
Ampelopsis .			6.2	Ilex	.14, 30
Andromeda			19 96		30
Aquilegia		Daylily	10, 40 51	Indigobush	18
Arabis		Delphinium		Indigofera .	30
Aralia		Devils-wall		Inkberry	14
Arborvitae .		stick	10.	Iris	52
Arctostaphylo		Deerberry	1 <i>9</i>		
				Joe-pye-wee	d50
Arenaria				Juniper	5
Aristolochia			50	Juniperus .	5
Armeria		Dicentra .	$\dots \dots 50$	•	
Aronia		Diervilla .	$\dots 26$	Kalmia	. 14
Arrowwood .		Digitalis .	$\dots \dots 50$	Kolkwitzia	30
Artemisia		Dioscorea	46		••••
Asclepias		Dogbrier .	$\dots \dots 39$	Labrador-tea	4.4
Aster		Dogwood	23		
Azalea	$\dots 19$	Douglasfir	9	Ladyslipper	50
		Draba		Lambkill	$\dots 14$
Baldcypress	43	Dutchmans	-pipe 46	Larch	$\dots 30$
Baptisia	48			Larix	$\dots 30$
Barberry	12, 21	Elaeagnus	27	Larkspur	$\dots 50$
Bayberry	3'5	$Elm \dots$	43	Ledum	14
Bearberry	12	Elsholtzia	27	Leiophyllum	14
Beautybush .	30	Enkianthus	27	Leucothoe	. 14. 31
Beebalm		Epigaea	13	Liatris	$\dots 52$
Beech		Erica	14	Ligustrum .	31
Bellflower		Euonymus.	27. 46	Lilac	41
Berberis1	2. 21	Eupatorium	50	Lilium	$\dots 52$
Betula	21	Exochorda	28	Lily	$\dots 52$
Bignonia	$\frac{1}{46}$			Lily-of-the-	
Birch	$\dots 21$	Fagus	28	Valley	$\dots 50$
Bittersweet .	\dots 46	False-drago	n -	Linden	43
Bladder-senna		head		Locust	39
Bleedingheart	50	False-indige	48	Lonicera	31, 46
Blueberry	44	False-spirea	40	Losestrife	$\dots 52$
Bluets	51	False-thrift	54	Lycium	47
Bocconia	48	Featherfleed	54 54	Lysimachia	$\dots .52$
Boltonia	49	Ferns	50		
Broom	26	Fir	4	Magnolia	32
Buddleia	91	Forsythia .	28	Maidenhair,	
Buckthorn	28	Fothergilla.	98	American .	50
Bugle		Foxglove	50	Malus	33
Burningbush		Fringe-orch		Maple	17
Bushhoneysucl	4 (z] 0. 96	Fringe-tree	99	Marshmarigol	d 49
Bushnoneysuch Butterflybush	KIE 20			Matrimonyvin	A 47
Butternybush	41	Galax	-1.4	Meadowrue .	55
Oo 11	10	Conforthon	14 50	Mitchella	14
Calluna		Gayfeather	94	Mockorange	36
Caltha		Gaylussacia Gladitaia		Monarda	59
Calycanthus .		Gleditsia		Moneywort .	57
Campanula	49	Goldentuft		Monkshood .	18
Caragana	22	Goldeye-gra		Mountainash	40
Carpinus		Goldmoss .	53	Mountainlaur	1 .14
Castanea	23	TT 1		Myrica	21. 14
Zelastrus	$\dots 46$	Habenaria	$\dots 51$	Migrica	50
Cerastium	$\dots 49$	Halesia		Monarah	
Cercis		Hamamelis	$\dots 29$	Nannyberry .	44
Chamaecyparis	55	Hardhack .	$\dots 40$	Nepeta	
Chelone	49	Hawthorn .	$\dots 25$	Ninebark	
Cherry	37	Hazelnut	23	Nyssa	$\dots 35$
Chinquapin	$\dots 22$	Heath	14		
Chionanthus.	$\dots 22$	Heather	$\dots 12$	Oak	
Chokeberry	19	Hemerocallis	$\dots 51$	Oconee-bells	
Chrysanthemu	n = 49	Hemlock		Oesculus	18
${ t Cinquefoil18}$	5, 39 -	Hepatica		Orchid	$\dots 57$
Cladrastis	22	Heuchera .	51	Orchis	$\dots 52$
Clematis	46	Hibiscus	.29, 51	Ostrya	35
Clethra	$\dots 22$	Holly	.14, 30	Oxydendrum	35
Columbine	48	Hollyhock .	48		
Colutea	23	Haphornbear	n35	Pachistima .	14
Convallaria	$\dots 50$	Honeylocust	$\dots 29$	Pachysandra	14
Coralbells	51	Honeysuckle	31, 46	Pansy	$\dots 55$
Coralberry	41	Horsechestni		Partridgeberry	714

TERMS FOR 1935

Cash with order from unknown parties, or satisfactory reference with time to investigate. All accounts net 30 days. Interest will be charged at 6% on overdue accounts. When CASH ACCOMPANIES ORDER a discount of 5% may be taken. Other terms only thru special arrangement.

Read carefully instructions for placing orders on pages 2 and 3.

All prices subject to change without notice.


Lilea ge tillstore

5 547, 1 18 c

6 ,6 - -

INDEX

Name Page	Nama	Paga	Nama	Dogo
Name Page Pearlbush28	Dachara	1050	Traine	rage
Pearlbush28	Rubus	40	Taxus	
Pea-shrub22	Russian-olive	27	Thalictrum	
Peatree22	~	4.0	Thermopsis	
Pentstemon53	Salix		Thorn	
Periwinkle16	Sandmyrtle		Thuja	
Phellodendron35	Sandwort		Thyme	$\dots 55$
Philadelphus36	Saponaria		Thymus	$\dots 55$
Phlox53	Savin	5	Tilia	
Photinia36	Saxifraga		Trailing-arb	
Physostegia53	Saxifrage	$\dots 53$	Trillium	
Physocarpus36	Schizophragma	ı47	Trumpetcree	
Picea 6	Sedum		Tsuga	
Pieris15, 37	Sempervivum		Tunica	55
Pine	Shadblow		Tunicflower	55
Pink50	Shortia		Tupelo	
Pinus 8	Shrub-althea		Turtlehead	49
Pinxterbloom20	Silene	$\dots 54$		
Plantainlily51	Silverbell		Udo	19
Plum37	Smoketree		Ulmus	
Plumepoppy48	Snowball			
Polygonatum53	Snowberry	41	Vaccinium	4.4
Polypody51	Snowhill Hyd	ran-		
Poplar37	gea	29	Veronica . Viburnum	
Populus37	Snow-in-sumn			
Potentilla15, 37	Soapwort		Vinca	
Privet31	Solomonseal .		Violat	\dots
Pseudotsuga 9	Sorbaria		Violet	
Prunus37	Sorbus	40	Virginsbowe	er46
	Sourwood	35		
Quercus38	Speedwell	$\dots 55$	Wallcress .	60
Quince, Flower-	Spiraea		Weigela	45
ing26	Spirea		Whitlowgras	$ss \dots 50$
	Spruce	6	Wildginger	
Raspberry, Flow-	Statice	$\dots 54$	Wild-indigo	
ering40	St. Johnswort		Willow	
Redcedar 5	Stenanthium.		Winterberry	
Redhead22	Stonecrop	$\dots 53$	Wintercreep	
Retinospora 5	Sumac		Wisteria .	47
Rhamnus38	Summersweet		Witchhazel	29
Rhododendron15	Sweetbay	$\dots 32$	Witherod .	44
Rhodora38	Sweetbells	31	Wormwood	$\dots 19$
Rhus39	Sweetbrier			
Robinia39	Sweetshrub	$\dots 21$	Yellowroot	45
Rockcress48	Sweet-william		Yellowwood	22
Rosa39, 47	Symphoricarpo	os 41	Yew	9
Rose39, 47	Syringa		Yucca	16
Roseacacia39				
Rosemallow29, 51	Taxodium	43	Zanthorhiza	45



Hardy New England Grown BEST BY TEST



HARLAN P. KELSEY, INC. KELSEY-HIGHLANDS NURSERY East Boxford, Massachusetts



MEMBER

American Association of Nurserymen

New England Nurserymen's Association

Massachusetts Nurserymen's Association